# PEOPLE FOR ANIMALS, RESCUE CENTER



Annual Report for the year 2022-23

# **CONTENTS**

| S.N | Section   | Page Number |
|-----|---|-------------|
| 0   |   |             |
| 1.  | Report of the Officer-in-charge                 | 1           |
| 2.  | History of the Rescue Centre                    | 1           |
| 3.  | Vision  | 1           |
| 4.  | Mission   | 2           |
| 5.  | Objective                                       | 2           |
| 6.  | About us  | 3-5         |
| 7.  | Organizational Chart                            | 6           |
| 8.  | Human Resources for management of Rescue Centre | 7-8         |
| 9.  | Capacity Building of Rescue Centre Personnel    | 8           |
| 10  | Rescue Centre Advisory Committee                | 8           |

| S.N | Section  | Page Number |
|-----|--|-------------|
| 0   |  |             |
| 11  | Health Advisory Committee  | 9           |
| 12  | Statement of income and expenditure of the Rescue Centre           | 9           |
| 13  | Daily feed Schedule of animals                                     | 10-13       |
| 14  | Vaccination Schedule of animals                                    | 14          |
| 15  | De-worming Schedule of animals                                     | 14          |
| 16  | Disinfection Schedule  | 14          |
| 17  | Health Check-up of employees for zoonotic diseases                 | 15          |
| 18  | Development Works carried out in the Rescue Centre during the year | 15          |
| 19  | Important Events and happenings                                    | 15-16       |
| 20  | Seasonal special arrangements for upkeep of animals                | 16          |
| 21  | Research Work carried out and publications                         | 16          |
|     |  |             |

| S.N | Section  | Page Number |
|-----|--|-------------|
| 0   |  |             |
| 22  | Rescue and Rehabilitation of the wild Animals                                    | 16          |
| 23  | Annual Inventory of animals  | 17-23       |
| 24  | Mortality of animals.  | 23-25       |
| 25  | Status of the Compliance with conditions stipulated by the Central Zoo Authority | 25          |

# 1. Report of the Officer-in-charge

PfA Bengaluru, is a non-profit animal welfare organisation, founded in 1998. The centre rescues, treats and rehabilitates urban wild animals, to ultimately release them back into their natural habitats. These urban wild animals, found in and around the city, are injured, displaced or orphaned due to various causes. The centre is open 24x7, year-round.

Since its inception, PfA Bengaluru has rescued over 34,900 urban wild animals, of 215 species. From conducting awareness drives in schools, colleges, offices and communities, to initiating special programs, such as replenishing the water sources in fringe forests, PfA has been instrumental in the conservation of environment and wildlife in and around Bangalore over the years.

# 2. History of the Rescue Centre

Namrata Dugar, AlpanaBhartia, Gauri Maini Hira and Arushi Poddar shared a profound enthusiasm for the conservation of the environment, and the protection of animals. In the latter half of the 1990s, while in their late 20s, these passionate young women decided to come together and work for the welfare and protection of animals in and around Bangalore city. In 1996, when they invited Mrs Maneka Gandhi to inaugurate an event they conducted at Bal Bhavan in Cubbon Park, they had little idea about the impact of what they had started. Though the initial purview was to serve all kinds of animals, they soon realized the necessity to look after the much-disregarded category of urban wildlife in the city. The campaigns they conducted against the exploitation of animals for circuses, ritual hunting in the neighbouring villages of Bangalore, and illegal camel slaughters, caught the eye of the authorities and public alike, and bore fruitful results. These campaigns were arduous, especially the one to stop the practice of ritual hunting. It took almost two years to yield a result, in the face of deep aggression from people. There were also many raidsto confiscate protected animals that were being used for commercial exploitation. The first centre was a little garage near Shivananda Circle, around central Bangalore. Over time, PfA carved a name for itself in the environmental and wildlife landscape of Bangalore. A lease for a 6-acre, untamed plot of land on the outskirts of the city became the home to what is today the People for Animals, Bangalore.

#### 3. Vision

People for Animals, Bangalore strives to be a model wildlife rescue centre in the country. It aims to rescue urban wildlife including confiscated wild animals with the ultimate goal of releasing back into its natural habitat. With the resources at hand PfA Bangalore can become a centre of excellence for training other veterinarians and rehabilitators in the field. Giving immediate aid to an animal in distress is always our goal.

#### 4. Mission

PfA works towards rescue, treatment, rehabilitation and release of urban wildlife be it mammals, reptiles or snakes. Conservation of wildlife is achieved by PfA through direct intervention in cases of sick, injured, orphaned or displaced animals.

# 5. Objective

The objectives of PfA Bangalore are as follows:

- 1. To be dedicated to the rescue, emergency medical care and rehabilitation of injured, orphaned and / or displaced urban wildlife.
- 2. To release healthy animals back into the wild with the help of the Karnataka Forest Dept. when required.
- 3. To promote the welfare of all animals through awareness programs, workshops and lectures on different classes of wild animals such as mammals, aves and reptiles.
- 4. To raise funds for animals in distress in different parts of the country through the network of PfAs around India.
- 5. To fight against illegal exotic pet trade and work in collaboration with different organisations to confiscate animals protected under CITES and the Wildlife Protection Act and ensure their proper relocation / release.
- 6. To provide lifetime care for animals that cannot survive on their own in the wild due to injuries that have led to permanent disabilities.

# 6. About us

| S.No.     | Particulars                      | Information  |
|-----------|----------------------------------|--|
| Basic Inf | ormation about the Rescue Centre |  |
| 1         | Name of the Rescue Centre        | PEOPLE FOR ANIMALS, RESCUE CENTER                          |
| 2         | Year of Establishment            | 1998   |
| 3         | Address of the Rescue Centre     | #67, Adjecent to BGS Global Hospital Uttarhalli-Kengeri    |
|           |                                  | Road, Kengeri, Bangalore-560060.                           |
| 4         | State                            | Karnataka.   |
| 5         | Telephone Number                 | +91 9900025370 / 9980339880                                |
| 6         | Fax Number                       | None   |
| 7         | E-mail address                   | gm@peopleforanimalsbangalore.org                           |
| 8         | Website                          | Peopleforanimalsbangalore.org                              |
| 9         | Distance from nearest            | Airport: 52 Km   |
|           |                                  | Railway Station: 3.2 Km                                    |
|           |                                  | Bus Stand:3.1 Km   |
| 10        | Recognition Valid upto (Date)    | 11/12/2024( Inspection for renewal of recognition was done |
|           |                                  |  |

| S.No.   | Particulars                                    | Information   |  |  |
|---------|--|---|--|--|
|         |  | on 7 <sup>th</sup> of march 2022)   |  |  |
| 11      | Area (in Hectares)                             | 2.584 hectares  |  |  |
| Manage  | ement Personnel of the Rescue Centre           |   |  |  |
| 12      | Name with designation of the Officer in-charge | Colonel Dr.Navaz Shariff  |  |  |
|         |  | Chief veterinarian and general manager  |  |  |
|         | Name of the Veterinary Officer                 | Colonel Dr.Navaz Shariff  |  |  |
|         | Name of the Curator                            | Rahul J   |  |  |
|         | Name of the Biologist                          | NONE  |  |  |
|         | Name of the Compounder/ Lab Assistant          | Vasanth R   |  |  |
| Owner / | Operator of the Rescue Centre                  |   |  |  |
| 13      | *Name of the Operator                          | Colonel Dr.Navaz Shariff  |  |  |
| 14      | Address`                                       | People for Animals,# 67, Adjacent to BGS Global Hospital,<br>UttarahalliKengeri Main Road, Kengeri, |  |  |
|         | of the Operator                                | Bangalore – 560060.   |  |  |


| S.No. | Particulars                              | Information                      |
|-------|--|----------------------------------|
| 15    | Contact details/Phone number of Operator | 080 – 28611986                   |
| 16    | E-mail address of Operator               | gm@peopleforanimalsbangalore.org |

"Zoo Operator" means the person who has ultimate control over the affairs of the zoos provided that\_\_\_\_\_

- I. in the case of a firm or other association of individuals, any one of the individual partners or members thereof; or
- II. in the case of a company, any director, manager, secretary or other officer, who is in-charge of and responsible to the company for the affairs of the zoo; or
- III. In case of zoo owned or controlled by the Central Government or any State Government or Union Territory Administration or any Trust or Society funded by the Central Government or a State Government or a Union Territory Administration, the Secretary of the concerned Department of that Government, or as the case may be the Union Territory Administration, shall be deemed to be the Zoo Operator.

<sup>\*</sup> Rule 2(m) of the Recognition of Zoo Rules, 2009.

# 7. Organizational Chart of the Rescue Centre



# 8. Human Resources deployment for management of Rescue Centre(Officer in-charge to Animal Keeper - Sanctioned posts, inposition and vacant posts)

#### **Human Resources of the Rescue Centre\***

| Sl.No. | Designation           | Number of Sanctioned | Names of the incumbent    |  |
|--------|-----------------------|----------------------|---------------------------|--|
|        |                       | Posts                |                           |  |
| 1.     | General Manager       | 1                    | Colonel. Dr.Navaz Shariff |  |
| 2.     | Senior Veterinarian   | 1                    | Dr.Madhav H V             |  |
| 3.     | Veterinarians         | 1                    | Dr.Darshan B              |  |
| 4.     | Currator              | 1                    | Rahul J                   |  |
|        | Rehabilitator         | 1                    | Vasanth R                 |  |
| 5.     | Rescue Coordinator    | 1                    | Salman Khan               |  |
| 6.     | Accounts Executive    | 2                    | Chithra J.M.              |  |
|        |                       |                      | Lakshmi Sagar             |  |
| 7.     | Humane Outreach /     | 1                    | Fernandis                 |  |
|        | Utilities In-charge   |                      |                           |  |
| 8.     | Fundraising Officer   | 1                    | Shambhavi                 |  |
| 9.     | Community Outreach    | 1                    | Shambhavi                 |  |
|        | Officer               |                      |                           |  |
| 10     | Volunteer Coordinator | 1                    | Srinivas M                |  |
| 10.    | Wildlife Rescuers     | 4                    |                           |  |
|        |                       |                      | Mohan                     |  |
|        |                       |                      | Anand, B. N.              |  |

|     |              |   | Bharath<br>Mohammed<br>Manjunath  |
|-----|--------------|---|---|
| 11. | Driver       | 1 | Harris  |
| 12. | Ground Staff | 7 | Jagadeesh kumar Deepa Meganath Bhagyamma Harish Latha Anand Arunachalam |

<sup>\*</sup>Please give above mentioned information in respect of all Rescue Centre personnel, from the Officer in-charge up to the Animal Keeper.

# 9. Capacity Building of Rescue Centre personnel

Regional capacity enhancement workshop for Zookeepers of the Southern region organised by the Central Zoo Authority.

# 10. Rescue Centre Advisory Committee –

a. Date of constitution: 14.03.2017

b. Members: Mrs. Suparna Ganguly Mrs. Brindha Nandakumar, Mrs. Shiela Rao and Mr. Prem Koshi.

Dates on which Meetings held during the year: 31st may 2022, 13th sept 2022, 30th December 2022, 2nd jan 2023

# 11. Health Advisory Committee of the Rescue Centre –

a. Date of constitution: Always present from Day 1 of the Rescue Centre being established

**b. Members:** Mrs. Alpana Bhartia, Mrs. Suparna Ganguly (Since 14.03.17), Mr. Subru, S. (Since 14.03.17) and the Veterinary team.

Dates on which Meetings held during the year: First week of every month

# 12. Statement of income and expenditure of the Rescue Centre

| Month     | Income      | Expenditure |
|-----------|-------------|-------------|
| April     | 13,45,872   | 12,60,581   |
| May       | 12,01,802   | 18,64,431   |
| June      | 20,80,929   | 18,87,517   |
| July      | 14,47,458   | 10,78,597   |
| August    | 12,51,294   | 10,81,933   |
| September | 10,81,222   | 21,60,193   |
| October   | 20,80,109   | 12,28,178   |
| November  | 16,12,468   | 12,60,110   |
| December  | 19,65,534   | 10,54,529   |
| January   | 12,79,324   | 11,80,362   |
| February  | 11,03,157   | 14,25,181   |
| March     | 26,84,358   | 12,03,967   |
| Total     | 1,91,33,527 | 1,66,85,579 |

# 13. Daily feed Schedule of animals

| Sl.No.  | Species                | Feed item   | Quantity (g) / day |              | Day of facting |
|---------|------------------------|-------------|--------------------|--------------|----------------|
| S1.1NO. |                        | reed item   | Winter             | Summer       | Day of fasting |
| 1.      | Bonnet Macaque         | Vegetables  | 400                | 400          | None           |
|         | (Adult)                | (Mixed)     |                    |              |                |
|         |                        | Fruits      | 400                | 400          |                |
|         |                        | (Mixed)     |                    |              |                |
|         |                        | Sprouts     | 200                | 200          |                |
|         | Bonnet Macaque         | Lactogen    | 10 to 100          | 10 to 100 ml | None           |
|         | (Neonates and          | (Stage III) | ml                 |              |                |
|         | Juveniles)             | Vegetables  | 50 – 150           | 50 – 150     |                |
|         |                        | (Mixed)     |                    |              |                |
|         |                        | Fruits      | 50 – 150           | 50 – 150     |                |
|         |                        | (Mixed)     |                    |              |                |
|         |                        | Sprouts     | 25 - 80            | 25 - 80      |                |
| 2.      | Three Striped Palm     | Feeding     | 0.5 to 1 ml        | 0.5 to 1 ml  | None           |
|         | Squirrel (Neonates and | formula     |                    |              |                |
|         | Juveniles)             | Fruits      | 5 – 15             | 5 – 15       |                |
|         |                        | Sunflower   | 2 - 4              | 2 - 4        |                |
|         |                        | seeds       |                    |              |                |
|         | Three Striped Palm     | Fruits      | 15 – 25            | 15 - 25      | None           |
|         | Squirrel (Sub adults   | Sunflower   | 4-6                | 4-6          |                |
|         | and Adults)            | seeds       |                    |              |                |
|         |                        | Ground nut  | 10                 | 10           |                |

| 2. | Black Kite (Chick)    | Meat        | 30 – 100  | 30 – 100     | None |
|----|-----------------------|-------------|-----------|--------------|------|
|    | Black Kite (Adult)    | Meat        | 100 - 120 | 100 - 120    |      |
| 3. | Brahminy Kite (Chick) | Meat        | 30 - 100  | 30 – 100     | None |
|    | Brahminy Kite (Adult) | Meat        | 100 - 120 | 100 – 120    |      |
| 4. | Rose Ringed Parakeet  | Fruits      | 40        | 40           | None |
|    | (Adult)               | Seeds       | 6 – 8     | 6-8          |      |
|    |                       | Sprouts     | 20        | 20           |      |
|    | Rose Ringed Parakeet  | Fruits      | 25        | 25           | None |
|    | (Chick)               | Seeds       | 3 – 5     | 3 – 5        |      |
|    |                       | Sprouts     | 10        | 10           |      |
| 5. | Barn Owl (Chick)      | Meat        | 50 - 100  | 50 – 100     | None |
|    |                       | Dead Mice   | 1 / two   | 1 / two days |      |
|    |                       |             | days      |              |      |
|    | Barn Owl (Adult)      | Meat        | 120       | 120          |      |
|    |                       | Live / Dead | 1         | 1            |      |
|    |                       | Mice        |           |              |      |
|    |                       |             |           |              |      |
| 6. | Spotted Owlet (Chick) | Meat        | 20 - 40   | 20 - 40      | None |
|    |                       | Dead mice   | 10 - 20   | 10 - 20      |      |
|    |                       | (minced)    |           |              |      |
|    | Spotted Owlet (Adult) | Meat        | 60        | 60           |      |
|    |                       | Mice (Sub   | 1         | 1            |      |
|    |                       | adult)      |           |              |      |
|    |                       | Worms       | 25 - 30   | 25 - 30      |      |
| 7. | Crow (Chick)          | Meat        | 20 - 40   | 20 – 40      | None |
|    |                       | Fruits      | 20 - 30   | 20 - 30      |      |
|    | Crow (Adult)          | Meat        | 50 – 75   | 50 – 75      |      |

|     |                      | Fruits     | 30 - 40  | 30 - 40  |      |
|-----|----------------------|------------|----------|----------|------|
| 8.  | Asian Koel (Chick)   | Meat       | 20 - 40  | 20 - 40  | None |
|     |                      | Fruits     | 20 - 40  | 20 - 40  |      |
|     | Asian Koel (Adult)   | Meat       | 30 - 40  | 30 - 40  |      |
|     |                      | Fruits     | 40 - 50  | 40 - 50  |      |
| 9.  | Pond Heron (Chick)   | Fish       | 50 - 80  | 50 – 80  | None |
|     |                      | Worms      | 10 - 15  | 10 – 15  |      |
|     | Pond Heron (Adult)   | Fish       | 80 - 100 | 80 - 100 |      |
|     |                      |            | nos.     | nos.     |      |
|     |                      | Worms      | 20 - 25  | 20 - 25  |      |
| 10. | Cattle Egret (Chick) | Worms      | 10 - 20  | 10 - 20  | None |
|     | Cattle Egret (Adult) | Worms      | 20 - 30  | 20 – 30  |      |
| 11. | Peafowl (Chick)      | Worms      | 10 - 20  | 10 - 20  | None |
|     |                      | Fruits     | 20 - 100 | 20 – 100 |      |
|     |                      | Sprouts    | 20 - 40  | 20 – 40  |      |
|     |                      | Boiled Egg | Half     | Half     |      |
|     |                      | with shell |          |          |      |
|     | Peafowl (Adult)      | Worms      | 30 – 50  | 30 – 50  | None |
|     |                      | Fruits     | 200      | 200      |      |
|     |                      | Sprouts    | 100      | 100      |      |
|     |                      | Boiled Egg | 1        | 1        |      |
|     |                      | with shell |          |          |      |
| 12. | Barbet (Chick)       | Worms      | 10 – 15  | 10 – 15  | None |
|     |                      | Fruits     | 10       | 10       |      |
|     | Barbet (Adult)       | Fruits     | 15 - 20  | 15 - 20  |      |
|     |                      |            |          |          |      |
|     |                      |            |          |          |      |

|     | I                     | T          | I                |               | I    |
|-----|-----------------------|------------|------------------|---------------|------|
|     |                       | Worms      | 5 – 10           | 5 – 10        | None |
|     | BulBul (Chicks)       | Fruits     | $\frac{5}{5-10}$ | 5 - 10        | None |
| 12  | ` '                   |            |                  |               |      |
| 13. | BulBul (Adult)        | Worms      | 2 - 5            | 2 - 5         |      |
|     |                       | Fruits     | 15 - 20          | 15 - 20       |      |
| 14. | Myna (Chick)          | Worms      | 20 - 30          | 20 - 30  nos. | None |
|     |                       |            | nos.             |               |      |
|     | Myna (Adult)          | Worms      | 30 - 45 nos.     | 30 - 45 nos.  |      |
| 15. | Snakes (Hatchlings)   | Meal Worms | 2-6 nos.         | 2-6 nos.      | None |
|     |                       | Super      | 1-2 nos.         | 1-2 nos.      |      |
|     |                       | Worms      |                  |               |      |
| 16. | Snakes (Adult)        | Meal Worms | 2-8 nos.         | 2-8 nos.      | None |
|     |                       | Super      | 2 - 10  nos.     | 2 - 10  nos.  |      |
|     |                       | Worms      |                  |               |      |
|     |                       | Live Prey  | 1 - 2 / 5 - 7    | 1 - 2 / 5 - 7 |      |
|     |                       |            | days             | days          |      |
| 17. | Monitor Lizard        | Meat       | 150              | 150           | None |
|     |                       | Live Prey  | 1 / 3-5 days     | 1 / 3-5 days  |      |
| 18. | Star Tortoise         | Vegetables | 20 - 50          | 20 - 50       | None |
|     |                       | Melon      | 2 - 5            | 2 - 5         |      |
|     |                       | Meal Worms | 2 - 4            | 2 - 4         |      |
| 19. | Terrapins and Turtles | Meal worms | 2 - 3            | 2 - 3         |      |
|     |                       | Fish and   | 50               | 50            |      |
|     |                       | Prawn      |                  |               |      |

#### 14 .Vaccination Schedule of animals:

| Sl.No. | Species | Disease vaccinated | Name of the Vaccine and | Periodicity      | Remarks |
|--------|---------|--------------------|-------------------------|------------------|---------|
|        |         | for                | dosage/ quantity used   |                  |         |
| 1.     | Bonnet  | Tetanus            | Tetanus Toxoid          | Any Macaque      | •••     |
|        | Macaque |                    |                         | rescued has an   |         |
|        |         |                    |                         | infected wound / |         |
|        |         |                    |                         | S                |         |

# **15.De-worming Schedule of animals:**

| Sl.No. | Species        | Drug used                                  | Month    |
|--------|----------------|--|----------|
| 1.     | Bonnet Macaque | Fenbendazole + Pipierazine /               | Every 3  |
|        |                | Triclabendazole + Ivermectin/              | months   |
|        |                | Praziquantel + Piperazine + Fenbendazole / | (Shuttle |
|        |                |  | Program) |

# **16.Disinfection Schedule**

All enclosures and cages will be subjected for fumigation twice a year. Once the enclosure is empty, if a different species of animal has to be housed, all enrichments including the ground will be removed and the enclosure will be fumigated. The enclosure will be later prepared accordingly for the species to be housed. For everyday cleaning, Glutaraldehyde is used as a disinfectant.

# 17.Health Check-up of employees for zoonotic diseases: Regular health checkups has being conducted in BGS hospital

# 18 .Development Works carried out in the Rescue Centre during the year:

- Operation theatre is Equipped with Intra-medullary pinning Orthopaedic drill.
- Ultrasound Doppler for Blood pressure monitoring.
- New enclosure for Rose Ringed Parakeets.
- New Autoclave has been equipped for the OT.
- Owl enclosure
- Two new ambulance

# 19. Important Events and happenings.

We have committed to our goal of raising awareness about environmental conservation and animal welfare by conducting some of our programs online. We held a total of 29 webinars/seminars for approximately 2557 students and 2 outreach programs on various topics related to urban wildlife and ecology. These included:

- 1. In January, we conducted 17 webinars for Gopalan International School, Sishu Griha School, Mallya Aditi International School and Bhavan Bangalore Press School. There were a total of 1030 students who attended the webinars.
- 2. In February, We conducted 3 webinars for Cauvery School, Gopalan International School, Aditi Mallya International School and Stonehill International School. There were a total of 652 students who attended the webinars.
- 3. We attended the B.Cause event at Bangalore International Centre on the 26th & 27th of February to create awareness about what we do and our cause.
- 4. In Feb, we conducted a virtual tour for the employees of Accenture, educating them about Bangalore's urban wildlife.
- 5. In March, we conducted 6 webinars for Gopalan International School. There were a total of 425 students who attended the webinars.
- 6. In September, We also conducted webinars/seminars on the topic 'Importance of Urban Wildlife' for 30 students of Grade 5 & 6 from Valiants Academy (webinar) and 120 children of Grade 6 from Bhavan Bangalore Press School (seminar).
- 7. In October, we ran an outreach programme at St. Joseph's College of Arts and Science during their inter-college festival, Wild 12.0, to educate young people about the value of urban wildlife.

8. We conducted 2 seminars in December for the 90 children of Grade 3 Sishu Griha on Ecosystem Story and Wildlife Tracking for the 240 students of Grade 7th, 8th and 9th of Bhavan Bangalore Press School. The response has been phenomenal and both schools have requested

us to continue with the sessions.

- **20. Seasonal special arrangements for upkeep of animals:** Kengeri is situated at an elevation of 826 m above sea level and the climate is pleasant and equable almost throughout the year. Winter temperatures rarely drop below 14 °C (52 °F) and summer temperatures seldom exceed 36 °C (97 °F). All needy animals will be provided with heaters, heat emitters and heating pads during winter or when the temperature is down. If the temperature in summer goes too high, fans will be used for animals housed in doors. Roof of the enclosures will be covered with Coconut leaves or gunny bags soaked in water to cool down the environment within the enclosure.
- **21.Research Work carried out and publications.**: An article on a "Management of Metacarpal fracture in Peregrine falcon" has been recently submitted for publication to the prestigious RVC Journal. We are awaiting their response while the article is under consideration with the editorial board.

# 22. Rescue and Rehabilitation of wild animals.

All the animals we deal with are rescued wildlife. Hence the number of animals rescued will remain the same as mentioned in the Annual report under the column acquisitions. All the animal rescues will be reported by general public. Occasionally, forest department officials also inform us about wild animals in need of help which will be rescued by our team of rescuers. Every month a report will be sent to the PCCF (Wildlife), DCF (Urban), ACF (Bangalore South) and RFO of our range which will comprise of all the animals rescued in that month along with a summary of rescues and releases of the respective month. All animals are rehabilitated at our centre and post recovery they will be released back in a suitable habitat close to the rescue spot.

# 23.Annual Inventory of animals

#### Part A - Endangered Species / Schedule I and Schedule II Annual Inventory Report for the Period of April 2022 to March 2023 Scientific Name Births Acquisitions Releases **Closing Stock** Sl. Animal **Opening Deaths** Stock as on No. as on Name 01.04.2022 31.03.2023 M F U T M F U T $\mathbf{M}$ T M M $\mathbf{M}$ F U **Mammals** $\mathbf{F}$ U $\mathbf{F}$ U T F $\mathbf{U}$ T Paradoxurus Asian Palm Civet hermaphroditus Macaca radiata **Bonnet** Macaque Rhesus Macaca Mulatta Macaque Slender Loris Loris lvdekkerianus Indian Canis aureus jackal indicus Travancore Petinomys fuscocapillus flying squirrel Spotted Axis axis Deer **Total**

| Rep  | tiles                       |                         |    |   |   |    |   |   |   |   |    |    |     |     |    |    |     |     |    |    |    |    |    |   |   |    |
|------|-----------------------------|-------------------------|----|---|---|----|---|---|---|---|----|----|-----|-----|----|----|-----|-----|----|----|----|----|----|---|---|----|
| 1    | Indian<br>Rock<br>Python    | Python molurus          | 0  | 0 | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0   | 0   | 0  | 0  | 0   | 0   | 0  | 0  | 0  | 0  | 0  | 0 | 0 | 0  |
| 2    | Bengal<br>Monitor<br>Lizard | Varanus<br>bengalensis  | 0  | 0 | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 3   | 3   | 0  | 0  | 3   | 3   | 0  | 0  | 0  | 0  | 0  | 0 | 0 | 0  |
| 3    | Common<br>Krait             | Bungarus<br>caeruleus   | 0  | 0 | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0   | 0   | 0  | 0  | 0   | 0   | 0  | 0  | 0  | 0  | 0  | 0 | 0 | 0  |
| 5    | Flap Shell<br>Turtle        | Lissemys punctata       | 0  | 0 | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 4   | 4   | 0  | 0  | 3   | 3   | 0  | 0  | 0  | 0  | 0  | 0 | 1 | 1  |
| 6    | Indian Rat<br>Snake         | Ptyas mucosa            | 0  | 0 | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 109 | 109 | 0  | 0  | 108 | 108 | 0  | 0  | 0  | 0  | 0  | 0 | 1 | 1  |
| 7    | Russell's<br>Viper          | Daboia russelii         | 0  | 0 | 1 | 1  | 0 | 0 | 0 | 0 | 0  | 0  | 55  | 55  | 0  | 0  | 54  | 54  | 0  | 0  | 1  | 1  | 0  | 0 | 1 | 1  |
|      | Indian<br>Chameleon         | Chamaeleo<br>zeylanicus | 0  | 0 | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 1   | 1   | 0  | 0  | 1   | 1   | 0  | 0  | 0  | 0  | 0  | 0 | 0 | 0  |
| 8    | Spectacled<br>Cobra         | Naja naja               | 0  | 0 | 1 | 1  | 0 | 0 | 0 | 0 | 0  | 0  | 264 | 264 | 0  | 0  | 259 | 259 | 0  | 0  | 4  | 4  | 0  | 0 | 2 | 2  |
| Tota | al                          |                         | 0  | 0 | 2 | 2  | 0 | 0 | 0 | 0 | 0  | 0  | 436 | 436 | 0  | 0  | 428 | 428 | 0  | 0  | 5  | 5  | 0  | 0 | 5 | 5  |
| Ave  | s                           |                         |    |   | 1 | ı  |   |   |   | l | 1  |    |     |     | 1  | ı  |     |     | ı  | 1  | ı  | 1  | 1  | 1 |   |    |
| 1    | Indian<br>Peafowl           | Pavo cristatus          | 0  | 2 | 3 | 5  | 0 | 0 | 0 | 0 | 6  | 10 | 3   | 19  | 2  | 5  | 0   | 7   | 4  | 7  | 6  | 17 | 0  | 0 | 0 | 0  |
| Tota | al                          |                         | 0  | 0 | 0 | 0  | 0 | 0 | 0 | 0 | 6  | 10 | 3   | 19  | 2  | 5  | 0   | 7   | 4  | 7  | 3  | 17 | 0  | 0 | 0 | 0  |
|      |                             |                         |    |   |   |    |   |   |   |   |    |    |     |     |    |    |     |     |    |    |    |    |    |   |   |    |
|      | Gran                        | d Total                 | 16 | 6 | 2 | 24 | 0 | 0 | 0 | 0 | 78 | 52 | 445 | 575 | 38 | 25 | 428 | 491 | 30 | 25 | 10 | 68 | 16 | 6 | 5 | 27 |

# Part B - Other than Endangered Species / Schedule I and Schedule II

| Sl. No.      | Animal Name                        | Scientific Name          |   | ning Sto<br>1.2022 | ck as on |    | Biı | rths |   |   | Ac     | quisiti | ons |     | Rel | eases |    |     | D | eath | S |    |   | osing  <br>03.20 | Stock<br>23 | as on |
|--------------|------------------------------------|--------------------------|---|--------------------|----------|----|-----|------|---|---|--------|---------|-----|-----|-----|-------|----|-----|---|------|---|----|---|------------------|-------------|-------|
| Mam<br>mals  |                                    |                          | M | F                  | U        | Т  | M   | F    | U | Т | M      | F       | U   | T   | M   | F     | U  | T   | M | I F  | U | T  | M | F                | U           | T     |
| 1            | Black Naped<br>Hare                | Lepus nigricollis        | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 5      | 5       | 1   | 11  | 4   | 5     | 0  | 9   | 1 | 0    | 0 | 1  | 0 | 0                | 1           | 1     |
| 2            | Five striped palm squirrel         | Funambulus<br>pennantii  | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 1      | 0       | 0   | 1   | 1   | 0     | 0  | 1   | 0 | 0    | 0 | 0  | 0 | 0                | 0           | 0     |
| 3            | Indian Flying Fox                  | Pteropus giganteus       | 1 | 0                  | 0        | 1  | 0   | 0    | 0 | 0 | 1 5    | 5       | 0   | 20  | 14  | 5     | 0  | 19  | 2 | 0    | 0 | 2  | 0 | 0                | 0           | 0     |
| 4            | Small Indian<br>Civet              | Viverricula indica       | 0 | 1                  | 0        | 1  | 0   | 0    | 0 | 0 | 1      | 3       | 0   | 4   | 0   | 0     | 0  | 0   | 1 | 2    | 0 | 3  | 0 | 2                | 0           | 2     |
| 5            | Indian Grey<br>Mangoose            | Herpestes edwardsii      | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 0      | 2       | 0   | 2   | 0   | 1     | 0  | 1   | 0 | 1    | 0 | 1  | 0 | 0                | 0           | 0     |
| 6            | Pipistrelle bat                    | Pipistrellus sp.         | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 0      | 0       | 14  | 14  | 0   | 0     | 14 | 14  | 0 | 0    | 0 | 0  | 0 | 0                | 0           | 0     |
| 7            | Short Nosed Fruit<br>Bat           | Cynopterus sp.           | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 1      | 2       | 8   | 11  | 1   | 2     | 6  | 9   | 0 | 0    | 2 | 2  | 0 | 0                | 0           | 0     |
| 9            | Three Striped Palm Squirrel        | Funambulus<br>palmarum   | 5 | 1                  | 2        | 8  | 0   | 0    | 0 | 0 | 6<br>5 | 102     | 21  | 188 | 66  | 100   | 15 | 181 | 1 | 1    | 3 | 5  | 3 | 2                | 5           | 10    |
| Total        | •                                  |                          | 6 | 2                  | 2        | 10 | 0   | 0    | 0 | 0 | 8      | 119     | 44  | 251 | 86  | 113   | 35 | 234 | 5 | 4    | 5 | 14 | 3 | 4                | 6           | 13    |
| Reptil<br>es |                                    |                          |   |                    |          |    |     |      |   |   |        |         |     |     |     |       |    |     |   |      |   |    |   |                  |             |       |
| 1            | Buff Striped<br>Keelback           | Amphiesma stolatum       | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 0      | 2       | 0   | 2   | 0   | 2     | )  | 2   | 0 | 0    | 0 | 0  | 0 | 0                | 0           | 0     |
| 2            | Saw Scaled Viper                   | Echis                    | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 0      | 0       | 0   | 0   | 0   | 0 (   | )  | 0   | 0 | 0    | 0 | 0  | 0 | 0                | 0           | 0     |
| 3            | Banded Racer                       | Argyrogena<br>fasciolata | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 0      | 0       | 0   | 0   | 0   | 0     | )  | 0   | 0 | 0    | 0 | 0  | 0 | 0                | 0           | 0     |
| 4            | Checkered<br>Keelback              | Xenochropis<br>piscator  | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 0      | 0       | 9   | 9   | 0   | 0     | 9  | 9   | 0 | 0    | 0 | 0  | 0 | 0                | 0           | 0     |
| 5            | Common<br>Bronzeback Tree<br>Snake | Dendrialiphis tristis    | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 0      | 0       | 5   | 5   | 0   | 0     | 5  | 5   | 0 | 0    | 0 | 0  | 0 | 0                | 0           | 0     |
|              | Common cat snake                   | Boiga trigonata          | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 0      | 0       | 1   | 1   | 0   | 0     | 1  | 1   | 0 | 0    | 0 | 0  | 0 | 0                | 0           | 0     |
| 6            | Common Kukri                       | Oligodon arnensis        | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 0      | 0       | 2   | 2   | 0   | 0     | 2  | 2   | 0 | 0    | 0 | 0  | 0 | 0                | 0           | 0     |
| 7            | Common Krait                       | Bungarus caeruleus       | 0 | 0                  | 0        | 0  | 0   | 0    | 0 | 0 | 0      | 0       | 0   | 0   | 0   | 0 (   | )  | 0   | 0 | 0    | 0 | 0  | 0 | 0                | 0           | 0     |
|              | Dumeril's black                    |                          |   |                    |          |    |     |      |   |   | 0      | 0       | 1   | 1   | 0   | 0     | 1  | 1   | 0 | 0    | 0 | 0  |   |                  |             |       |

|       | headed snake                 |                                 |   |   |    |    | I | l | İ |   |   | I  |     |     |   |        |     |         |   |   |     |    | ĺ |   |         |     |
|-------|------------------------------|---------------------------------|---|---|----|----|---|---|---|---|---|----|-----|-----|---|--------|-----|---------|---|---|-----|----|---|---|---------|-----|
|       | Olive Keelback               | Atretium schistosum             | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 2   | 2   | 0 | 0      | 2   | 2       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
|       | Oriental garden lizard       | Calotes versicolor              | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 1   | 1   | 0 | 0      | 1   | 1       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 8     | Common Sand<br>Boa           | Gongylophis<br>conicus          | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 9     | Common Trinket               | Elaphe helena                   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 11  | 11  | 0 | 0      | 11  | 11      | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 10    | Common Wolf<br>Snake         | Lycodon aulicus                 | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 9   | 9   | 0 | 0      | 9   | 9       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 11    | Common Kukri                 | Oligodon arnensis               | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 12    | Green Vine<br>Snake          | Ahaetulla nasuta                | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 1   | 1   | 0 | 0      | 1   | 1       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 13    | Indian Pond<br>Terrapin      | Melanochelys<br>trijuga         | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 1 | 2  | 14  | 17  | 1 | 2      | 14  | 17      | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 14    | Red Sand Boa                 | Eryx johnii                     | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 15    | Russell's Kukri              | Oligodon<br>taeniolatus         | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 1   | 1   | 0 | 0      | 1   | 1       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 16    | Star Tortoise                | Geochelone elegans              | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| Total |                              |                                 | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 1 | 4  | 57  | 62  | 1 | 4      | 57  | 62      | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| Aves  |                              |                                 |   |   |    |    |   |   |   |   |   |    |     |     |   |        |     |         |   |   |     |    |   |   |         |     |
| 1     | Alexandrine<br>Parakeet      | Psittacula eupatria             | 0 | 3 | 0  | 3  | 0 | 0 | 0 | 0 | 3 | 2  | 0   | 5   | 0 | 1      | 0   | 1       | 1 | 1 | 0   | 2  | 2 | 3 | 0       | 5   |
| 2     | Ashy<br>woodswallow          | Prinia socialis                 | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 1   | 1   | 0 | 0      | 1   | 1       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 3     | Asian Koel                   | Eudynamys<br>scolopaceus        | 0 | 3 | 0  | 3  | 0 | 0 | 0 | 0 | 6 | 38 | 0   | 44  | 2 | 3<br>8 | 0   | 40      | 2 | 3 | 0   | 5  | 2 | 0 | 0       | 2   |
|       | Ashy crowned sparrow lark    | Eremopterix griseus             | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 1   | 1   | 0 | 0      | 1   | 1       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 4     | Barn Owl                     | Tyto alba                       | 0 | 0 | 5  | 5  | 0 | 0 | 0 | 0 | 0 | 0  | 39  | 39  | 0 | 0      | 36  | 36      | 0 | 0 | 6   | 6  | 0 | 0 | 2       | 2   |
| 5     | Black Headed<br>Ibis         | Threskiornis<br>melanocephalus  | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 6     | Barred Button<br>Quail       | Turnix suscitator               | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
|       | Blue-faced<br>malkoha        | Phaenicophaeus<br>viridirostris | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 1   | 1   | 0 | 0      | 0   | 0       | 0 | 0 | 1   | 1  | 0 | 0 | 0       | 0   |
| 7     | Black Crowned<br>Night Heron | Nyctiocorax<br>nyctiocorax      | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 12  | 12  | 0 | 0      | 9   | 9       | 0 | 0 | 2   | 2  | 0 | 0 | 1       | 1   |
| 8     | Black Drongo                 | Dicrurus<br>macrocercus         | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 9     | Black Kite                   | Milvus migrans                  | 0 | 0 | 81 | 81 | 0 | 0 | 0 | 0 | 0 | 0  | 899 | 899 | 0 | 0      | 820 | 82<br>0 | 0 | 0 | 1 3 | 13 | 0 | 0 | 14<br>7 | 147 |
| 10    | Black winged kite            | Elanus caeruleus                | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 1   | 1   | 0 | 0      |     | 0       | 0 | 0 | 1   | 1  | 0 | 0 | 0       | 0   |
| 11    | Booted Eagle ?               | Hieraaetus pennatus ?           | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |
| 12    | Brahminy Kite                | Haliastur Indus                 | 0 | 0 | 7  | 7  | 0 | 0 | 0 | 0 | 0 | 0  | 9   | 9   | 0 | 0      | 9   | 9       | 0 | 0 | 2   | 2  | 0 | 0 | 5       | 5   |
| 13    | Cattle Egret                 | Bubulcus ibis                   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 12  | 12  | 0 | 0      | 8   | 8       | 0 | 0 | 4   | 4  | 0 | 0 | 0       | 0   |
| 14    | Common coot                  | Fulica atra                     | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0  | 0   | 0   | 0 | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0 | 0       | 0   |

| 15 | Common<br>Buttonquail          | T.sylvaticus                 | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 3   | 3   | 0 | 0 | 2   | 2       | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
|----|--------------------------------|------------------------------|---|---|----|----|---|---|---|---|---|---|-----|-----|---|---|-----|---------|---|---|---|---|---|---|---|---|
|    | Common quail                   | Coturnix coturnix            | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 2   | 2   | 0 | 0 | 2   | 2       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|    | Cinereous tit                  | Parus cinereus               | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 0   | 0       | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 16 | Crested serpent eagle          | Spilornis cheela             | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0   | 0 | 0 | 0   | 0       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 17 | Common Myna                    | Acredotheres tristis         | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 46  | 46  | 0 | 0 | 42  | 42      | 0 | 0 | 1 | 1 | 0 | 0 | 3 | 3 |
|    | Coppersmith barbet             | Megalaima<br>haemacephala    | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 1   | 1       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 18 | Egyptian vulture               | Neophron<br>percnopterus     | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0   | 0 | 0 | 0   | 0       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 19 | Greater<br>Cormorant           | Phalacrocorax carbo          | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0   | 0 | 0 | 0   | 0       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20 | Great Tit                      | Parus major                  | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 2   | 2   | 0 | 0 | 1   | 1       | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
|    | Grey heron                     | Ardea cinerea                | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 0   | 0       | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
|    | Indian Golden<br>Oriole        | Oriolus kundoo               | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 1 | 0 | 3   | 4   | 0 | 0 | 2   | 2       | 1 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| 21 | House Crow                     | Corvus splendens             | 0 | 0 | 11 | 11 | 0 | 0 | 0 | 0 | 0 | 0 | 147 | 147 | 0 | 0 | 150 | 15<br>0 | 0 | 0 | 3 | 3 | 0 | 0 | 5 | 5 |
| 22 | House Sparrow                  | Passer domesticus            | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 3   | 3   | 0 | 0 | 3   | 3       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|    | Indian cuckoo                  | Cuculus micropterus          | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 1   | 1       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 23 | Indian Cormorant               | Phalacrocorax<br>fuscicollis | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0   | 0 | 0 | 0   | 0       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 24 | Indian Nightjar                | Caprimulgus<br>asiaticus     | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 1   | 1       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 25 | Indian Pitta                   | Pitta brachyura              | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 1   | 1       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|    | Indian roller                  | Coracias<br>benghalensis     | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 0   | 0       | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 26 | Indian Scops Owl               | Otus bakkamoena              | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 0   | 0       | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 27 | Jungle Crow                    | Corvus culminatus            | 0 | 0 | 2  | 2  | 0 | 0 | 0 | 0 | 0 | 0 | 60  | 60  | 0 | 0 | 56  | 56      | 0 | 0 | 6 | 6 | 0 | 0 | 0 | 0 |
| 28 | Jungle Myna                    | Acredotheres fuscus          | 0 | 0 | 1  | 1  | 0 | 0 | 0 | 0 | 0 | 0 | 13  | 13  | 0 | 0 | 13  | 13      | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 29 | Indian eagle Owl               | Bubo Bengalensis             | 0 | 0 | 1  | 1  | 0 | 0 | 0 | 0 | 0 | 0 | 0   | 0   | 0 | 0 | 1   | 1       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
|    | Laughing dove                  | Spilopelia<br>senegalensis   | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 0   | 0       | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| 30 | Lesser flameback<br>woodpecker | Tachybaptus<br>ruficollis    | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 1   | 1       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 | Little Cormorant               | Microcarbo nigrer            | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 1   | 1       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 | Little Swift                   | Apus affinis                 | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 3   | 3   | 0 | 0 | 3   | 3       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 33 | Mottled Wood<br>Owl            | Strix ocellata               | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 2   | 2   | 0 | 0 | 0   | 0       | 0 | 0 | 1 | 1 | 0 | 0 | 1 | 1 |
|    | Oriental darter                | Anhinga<br>melanogaster      | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 1   | 1   | 0 | 0 | 1   | 1       | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 34 | Oriental Magpie robin          | Copsychus saularis           | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 1 | 3   | 4   | 0 | 1 | 1   | 2       | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| 35 | Oriental White<br>Eye          | Zosterops<br>palpebrosus     | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 3   | 3   | 0 | 0 | 1   | 1       | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| 36 | Pale Billed                    | Dicaeum                      | 0 | 0 | 0  | 0  | 0 | 0 | 0 | 0 | 0 | 0 | 2   | 2   | 0 | 0 | 1   | 1       | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |

|    | Flowerpecker                 | erythrorhynchos            |   |    |   |    |   |   |   |   |    |    |     |     |    |        |     |         |   |   |     |    |   |     |   | 1  |
|----|------------------------------|----------------------------|---|----|---|----|---|---|---|---|----|----|-----|-----|----|--------|-----|---------|---|---|-----|----|---|-----|---|----|
|    | Peregrine falcon             | Falco peregrinus           | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 1   | 1   | 0  | 0      | 1   | 1       | 0 | 0 | 0   | 0  | 0 | 0   | 0 | 0  |
|    | pied bush chat               |                            |   |    |   |    |   |   |   |   | 0  | 0  | 1   | 1   | 0  | 0      | 0   | 0       | 0 | 0 | 1   | 1  | 0 | 0   | 0 | 0  |
| 37 | Plum Headed<br>Parakeet      | Psittacula<br>cyanocephala | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0   | 0   | 0  | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0   | 0 | 0  |
| 38 | Prinia                       | Pinia sp.                  | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 1   | 1   | 0  | 0      | 0   | 0       | 0 | 0 | 1   | 1  | 0 | 0   | 0 | 0  |
| 39 | Pond Heron                   | Ardeola grayii             | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 20  | 20  | 0  | 0      | 18  | 18      | 0 | 0 | 2   | 2  | 0 | 0   | 0 | 0  |
|    | purple heron                 |                            |   |    |   |    |   |   |   |   | 0  | 0  | 1   | 1   | 0  | 0      | 1   | 1       | 0 | 0 | 0   | 0  | 0 | 0   | 0 | 0  |
| 40 | Purple Moorhen /<br>Swamphen | Porphyrio porphyrio        | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0   | 0   | 0  | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0   | 0 | 0  |
| 41 | Purple Rumped<br>Sunbird     | Leptocoma<br>zeylonica     | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 7   | 7   | 0  | 0      | 2   | 2       | 0 | 0 | 2   | 2  | 0 | 0   | 3 | 3  |
| 42 | Red Whiskered<br>Bulbul      | Pycnonotus jocosus         | 0 | 0  | 2 | 2  | 0 | 0 | 0 | 0 | 0  | 0  | 44  | 44  | 0  | 0      | 33  | 33      | 0 | 0 | 1 0 | 10 | 0 | 0   | 3 | 3  |
| 43 | Red Vented<br>Bulbul         | Pycnonotus cafer           | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 1   | 1   | 0  | 0      | 1   | 1       | 0 | 0 | 0   | 0  | 0 | 0   | 0 | 0  |
| 44 | Rose Ringed<br>Parakeet      | Psittacula krameri         | 4 | 15 | 4 | 23 | 0 | 0 | 0 | 0 | 21 | 79 | 5   | 105 | 17 | 5<br>6 | 9   | 82      | 0 | 8 | 0   | 8  | 8 | 3 0 | 0 | 38 |
| 45 | Red wattled lapwing          | Vanellus Indicus           | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 2   | 2   | 0  | 0      | 0   | 0       | 0 | 0 | 2   | 2  | 0 | 0   | 0 | 0  |
|    | rosy starling                | Pastor roseus              | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 2   | 2   | 0  | 0      | 0   | 0       | 0 | 0 | 2   | 2  | 0 | 0   | 0 | 0  |
| 46 | Rofous treepie               | Dendrocitta<br>vagabunda   | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 1   | 1   | 0  | 0      | 0   | 0       | 0 | 0 | 1   | 1  | 0 | 0   | 0 | 0  |
|    | Scaly breasted munia         | Lonchura<br>punctulata     | 0 | 0  | 0 | 0  | 0 |   | 0 | 0 | 0  | 0  | 7   | 7   | 0  | 0      | 5   | 5       | 0 | 0 | 2   | 2  | 0 | 0   | 0 | 0  |
| 47 | Shikra                       | Accipiter badius           | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 11  | 11  | 0  | 0      | 3   | 3       | 0 | 0 | 6   | 6  | 0 | 0   | 2 | 2  |
|    | small minivet                | Pericrocotus cinnamomeus   | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 1   | 1   | 0  | 0      | 0   | 0       | 0 | 0 | 1   | 1  | 0 | 0   | 0 | 0  |
| 48 | Southern Coucal              | Centropus parroti          | 0 | 0  | 1 | 1  | 0 | 0 | 0 | 0 | 0  | 0  | 4   | 4   | 0  | 0      | 4   | 4       | 0 | 0 | 0   | 0  | 0 | 0   | 1 | 1  |
| 49 | Red necked falcon            | Falco chicquera            | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0   | 0   | 0  | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0   | 0 | 0  |
|    | spot billed pelican          | Pelecanus<br>philippensis  | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 1   | 1   | 0  | 0      | 0   | 0       | 0 | 0 | 1   | 1  | 0 | 0   | 0 | 0  |
| 50 | Spotted Owlet                | Athena brama               | 0 | 0  | 1 | 1  | 0 | 0 | 0 | 0 | 0  | 0  | 2   | 2   | 0  | 0      | 2   | 2       | 0 | 0 | 1   | 1  | 0 | 0   | 0 | 0  |
| 51 | Spotted Dove                 | Spilopelia chinensis       | 0 | 0  | 1 | 1  | 0 | 0 | 0 | 0 | 0  | 0  | 10  | 10  | 0  | 0      | 7   | 7       | 0 | 0 | 3   | 3  | 0 | 0   | 1 | 1  |
|    | Green Bee eater              | Merops orientalis          | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 1   | 1   | 0  | 0      | 0   | 0       | 0 | 0 | 1   | 1  | 0 | 0   | 0 | 0  |
| 52 | Tailor Bird                  | Orthotomus sutorius        | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 29  | 29  | 0  | 0      | 23  | 23      | 0 | 0 | 6   | 6  | 0 | 0   | 0 | 0  |
| 53 | White browed wagtail         | M.maderaspatensis          | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0   | 0   | 0  | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0   | 0 | 0  |
| 54 | White Cheeked<br>Barbet      | Megalaima viridis          | 0 | 0  | 1 | 1  | 0 | 0 | 0 | 0 | 0  | 0  | 105 | 105 | 0  | 0      | 101 | 10<br>1 | 0 | 0 | 5   | 5  | 0 | 0   | 0 | 0  |
| 55 | Yellow Legged<br>Buttonquail | Turnix tanki               | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 1   | 1   | 0  | 0      | 1   | 1       | 0 | 0 | 0   | 0  | 0 | 0   | 0 | 0  |
| 56 | White breasted waterhen      | Amaurornis<br>phoenicurus  | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 4   | 4   | 0  | 0      | 1   | 1       | 0 | 0 | 3   | 3  | 0 | 0   | 0 | 0  |
| 57 | White Throated<br>Kingfisher | Halcyon smyrnensis         | 0 | 0  | 0 | 0  | 0 | 0 | 0 | 0 | 0  | 0  | 0   | 0   | 0  | 0      | 0   | 0       | 0 | 0 | 0   | 0  | 0 | 0   | 0 | 0  |

| Total          |  | 4  | 21 | 118 | 143 | 0 | 0 | 0 | 0 | 31  | 120 | 1541 | 169<br>2 | 19  | 9           | 1381 | 14<br>96 | 4 | 12 | 1<br>0<br>2 | 11<br>8 | 1 2 | 3      | 17<br>6 | 221 |
|----------------|--|----|----|-----|-----|---|---|---|---|-----|-----|------|----------|-----|-------------|------|----------|---|----|-------------|---------|-----|--------|---------|-----|
|                |  |    |    |     |     |   |   |   |   |     |     |      |          |     |             |      |          |   |    |             |         |     |        |         |     |
| Grand<br>Total |  | 10 | 23 | 120 | 153 | 0 | 0 | 0 | 0 | 120 | 243 | 1642 | 200<br>5 | 106 | 2<br>1<br>3 | 1473 | 17<br>92 | 9 | 16 | 1<br>0<br>7 | 13<br>2 | 1 5 | 3<br>7 | 18<br>2 | 234 |

|        |                               | Death Re                   | oort for the p | eriod April 2022 | – March 2023            |
|--------|-------------------------------|----------------------------|----------------|------------------|-------------------------|
| SI.No. | Common name                   | Scientific<br>name         | Sex            | Date of Death    | Possible cause of death |
|        |                               | •                          | S              | Schedule-I       | •                       |
| 1      | Indian Peafowl                | Pavo cristatus             | Male           | 19-04-2022       | Injured                 |
| 2      | Travancore<br>Flying squirrel | Petinomys<br>fuscocapillus | Female         | 21-04-2022       | Captive stress          |
| 3      | Indian Peafowl                | Pavo cristatus             | Male           | 09-05-2022       | Injured                 |
| 4      | Shikra                        | Accipiter badius           | Unidentified   | 14-05-2022       | Captive stress          |
| 5      | Shikra                        | Accipiter badius           | Unidentified   | 14-05-2022       | Captive stress          |
| 6      | Shikra                        | Accipiter badius           | Unidentified   | 14-05-2022       | Captive stress          |
| 7      | Gray Slender<br>Loris         | Loris<br>lydekkerianus     | Male           | 16-05-2022       | Electrocution           |
| 8      | Gray Slender<br>Loris         | Loris<br>lydekkerianus     | Male           | 21-05-2022       | Injured                 |
| 9      | Shikra                        | Accipiter badius           | Unidentified   | 02-06-2022       | Injured                 |
| 10     | Indian peafowl                | Pavo cristatus             | Female         | 08-07-2022       | Head injury             |
| 11     | Indian peafowl                | Pavo cristatus             | Female         | 09-07-2022       | Head injury             |
| 12     | Spotted deer                  | Axis axis                  | Female         | 18-07-2022       | Predator Attack         |
| 13     | Indian peafowl                | Pavo cristatus             | Female         | 30-07-2022       | Spinal injury           |
| 14     | Shikra                        | Accipiter badius           | Unidentified   | 28-09-2022       | Injured                 |
| 15     | Indian peafowl                | Pavo cristatus             | Unidentified   | 07-10-2022       | Captive stress          |
| 16     | Indian peafowl                | Pavo cristatus             | Unidentified   | 07-10-2022       | Captive stress          |
| 17     | Indian peafowl                | Pavo cristatus             | Male           | 14-10-2022       | Capture myopathy        |
| 18     | Spotted deer                  | Axis axis                  | Male           | 08-01-2023       | Capture myopathy/Trauma |
| 19     | Indian peafowl                | Pavo cristatus             | Female         | 09-01-2023       | Trauma                  |
| 20     | Indian peafowl                | Pavo cristatus             | Female         | 11-01-2023       | Capture myopathy        |

| 21 | Shikra            | Accipiter badius | Unidentified  | 30-01-2023  | Cerebral traum | a                            |
|----|-------------------|------------------|---------------|-------------|----------------|------------------------------|
| 22 | Indian peafowl    | Pavo cristatus   | Male          | 07-02-2023  | Trauma         |                              |
| 23 | Indian peafowl    | Pavo cristatus   | Female        | 27-02-2023  | Trauma         |                              |
| 24 | Indian peafowl    | Pavo cristatus   | Female        | 05-03-2023  | Trauma         |                              |
| 25 | Shikra            | Accipiter badius | Unidentified  | 09-03-2023  | Cerebral edema | a                            |
|    |                   |                  | S             | chedule –II | •              |                              |
| 1  | Bonnet macaque    | Мас              | ıca radiata   | Male        | 05-04-2022     | Electrocution                |
| 2  | Bonnet macaque    | Мас              | ıca radiata   | Male        | 25-04-2022     | Electrocution                |
| 3  | Bonnet macaque    | Масс             | ıca radiata   | Male        | 05-06-2022     | Electrocution                |
| 4  | Bonnet macaque    | Масс             | ıca radiata   | Male        | 13-06-2022     | Injured                      |
| 5  | Bonnet macaque    | Мас              | ıca radiata   | Female      | 21-06-2022     | Electrocution                |
| 6  | Bonnet Macaque    | Масс             | ıca radiata   | Female      | 10-07-2022     | Electrocution                |
| 7  | Bonnet Macaque    | Мас              | ıca radiata   | Female      | 19-07-2022     | Electrocution                |
| 8  | Bonnet macaque    | Мас              | ıca radiata   | Female      | 15-08-2022     | Predator Attack              |
| 9  | Bonnet macaque    | Масс             | ıca radiata   | Female      | 16-08-2022     | Electrocution                |
| 10 | Indian small cive | t Vive           | ricula indica | Male        | 22-08-2022     | Captive stress               |
| 11 | Bonnet Macaque    | Мас              | ıca radiata   | Male        | 06-09-2022     | Electrocution                |
| 12 | Bonnet Macaque    | Мас              | ıca radiata   | Male        | 20-09-2022     | Electrocution                |
| 13 | Bonnet Macaque    | Мас              | ıca radiata   | Male        | 25-09-2022     | Predator Attack              |
| 14 | Bonnet Macaque    | Мас              | ıca radiata   | Female      | 30-09-2022     | Predator Attack              |
| 15 | Bonnet macaque    | Мас              | ıca radiata   | Male        | 08-10-2022     | Trauma                       |
| 16 | Bonnet macaque    | Мас              | ıca radiata   | Male        | 15-10-2022     | Spinal injury/Paralysis      |
| 17 | Black naped hare  | Lepu             | s nigricollis | Male        | 24-10-2022     | Captive stress               |
| 18 | Black naped hare  | Lepu             | s nigricollis | female      | 24-10-2022     | Captive stress               |
| 19 | Bonnet macaque    | Мас              | ıca radiata   | female      | 29-10-2022     | Trauma                       |
| 20 | Bonnet macaque    | Мас              | ıca radiata   | Male        | 05-11-2022     | Electrocution/Cardiac arrest |
| 21 | Bonnet macaque    | Мас              | ıca radiata   | female      | 09-11-2022     | Trauma                       |
| 22 | Bonnet macaque    | Масс             | ıca radiata   | Male        | 10-11-2022     | Trauma                       |
| 23 | Bonnet macaque    | Масс             | ıca radiata   | Male        | 12-11-2022     | Electrocution/Cardiac arrest |
| 24 | Bonnet macaque    | Мас              | ıca radiata   | female      | 13-11-2022     | Trauma                       |
| 25 | Bonnet macaque    | Масс             | ıca radiata   | Male        | 17-11-2022     | Internal bleeding            |
| 26 | Bonnet macaque    | Мас              | ıca radiata   | Male        | 27-11-2022     | Cranial edema                |
| 27 | Bonnet macaque    | Мас              | ıca radiata   | female      | 29-11-2022     | Maggot infested wound        |

| 28 | Bonnet macaque   | Macaca radiata | Male         | 06-12-2022 | Electrocution               |
|----|------------------|----------------|--------------|------------|-----------------------------|
| 29 | Bonnet macaque   | Macaca radiata | female       | 07-12-2022 | Tetanus                     |
| 30 | Bonnet macaque   | Macaca radiata | Male         | 13-12-2022 | Electrocution               |
| 31 | Bonnet macaque   | Macaca radiata | Male         | 19-12-2022 | Trauma                      |
| 32 | Bonnet macaque   | Macaca radiata | female       | 26-12-2022 | Trauma                      |
| 33 | Spectacled cobra | Naja naja      | Unidentified | 05-01-2023 | Spinal Trauma               |
| 34 | Bonnet macaque   | Macaca radiata | Female       | 06-01-2023 | Injured                     |
| 35 | Bonnet macaque   | Macaca radiata | Female       | 09-01-2023 | Injured                     |
| 36 | Bonnet macaque   | Macaca radiata | Male         | 14-01-2023 | Injured                     |
| 37 | Bonnet macaque   | Macaca radiata | Male         | 16-01-2023 | Injured                     |
| 38 | Bonnet macaque   | Macaca radiata | Male         | 18-01-2023 | Electrocuted                |
| 39 | Bonnet macaque   | Macaca radiata | Male         | 21-01-2023 | Injured                     |
| 40 | Bonnet macaque   | Macaca radiata | Female       | 22-01-2023 | Injured                     |
| 41 | Bonnet macaque   | Macaca radiata | Male         | 25-01-2023 | Injured                     |
| 42 | Spectacled cobra | Naja naja      | Unidentified | 13-02-2023 | Trauma                      |
| 43 | Bonnet macaque   | Macaca radiata | Male         | 12-03-2023 | Electrocuted/Cardiac arrest |
| 44 | Spectacled cobra | Naja naja      | Unidentified | 20-03-2023 | Injured                     |
| 45 | Bonnet macaque   | Macaca radiata | Female       | 26-03-2023 | Trauma                      |
| 46 | Bonnet macaque   | Macaca radiata | Female       | 31-03-2023 | Electrocuted/Cardiac arrest |

| Sl.                     | Norm No. | Particulars of suggestions/recommendation   | Time period to comply | Status                 |
|-------------------------|----------|---|-----------------------|------------------------|
| 1. General Requirements |          |   |                       |                        |
| 1                       | 10.1(2)  | Should have proper landscaping and planting of appropriate species, provide naturalistic environment. | Six months            | Responded through mail |
| 2                       | 10.1(5)  | Should have perimeter wall of at least two meters in height from the ground level on both the sides   | Six months            | Responded through mail |