National Studbook Indian Wild Ass (*Equus hemionus khur*) II Edition

Published as a part of the Central Zoo Authority sponsored project titled "Development and Maintenance of Studbooks for Selected Endangered Species in Indian Zoos" awarded to the Wildlife Institute of India vide sanction order: Central Zoo Authority letter no. 9-2/2012-CZA(NA)/418 dated 7th March 2012]

Data till: December 2015 Published: April 2016







National Studbook of Indian Wild Ass (*Equus hemionus khur*) Il Edition

Published as a part of the Central Zoo Authority sponsored project titled "Development and maintenance of studbooks for selected endangered species in Indian zoos" Awarded to the Wildlife Institute of India

[Sanction Order: Central Zoo Authority letter no. 9-2/2012-CZA(NA)/418 dated 7th March 2012]

PROJECT PERSONNEL

Junior Research Fellow Ms. Nilofer Begum

Project Consultant

Anupam Srivastav, Ph.D.

Project Investigators

Dr. Parag Nigam Shri. P.C. Tyagi, IFS

Copyright © WII, Dehradun, and CZA, New Delhi, 2016

Photo Credit: Dr. Chittaranjan D. Dave

This report may be quoted freely but the source must be acknowledged and cited as:

Wildlife Institute of India (2016) National Studbook of Indian Wild Ass (*Equus hemionus khur*)II Edition, Wildlife Institute of India, Dehradun and Central Zoo Authority, New Delhi. TR. No. 2016/004/37.

For correspondence:

Project Investigator, Studbook Project, Wildlife Institute of India, PO Box 18, Dehradun, 248001 Uttarakhand, India

Foreword

Habitat loss, fragmentation and degradation coupled with poaching are limiting the growth of wild populations of several species; increasingly rendering them vulnerable to extinction. For species threatened with extinction in their natural habitats *ex-situ* conservation offers an opportunity for ensuring their long-term survival. Pedigree information contained in studbooks forms the basis for scientific management and ensures long term genetic viability and demographic stability of such populations.

The Central Zoo Authority (CZA) in collaboration with zoos in India has initiated a conservation breeding program for threatened species in Indian zoos. As a part of this endeavour, a Memorandum of Understanding has been signed with the Wildlife Institute of India for compilation and update of studbooks of identified species in Indian zoos.

As a part of the project outcomes the WII has compiled the II edition of the National Studbook of Indian Wild Ass (*Equus hemionus khur*) housed in Indian zoos. The recommendations contained in the studbook can form basis for the long term management of the species in captivity. It is hoped that the holding institutions will adopt the recommendations and keep the WII informed of changes in their populations on a regular basis to enable the timely update of the studbook.

(Dr. D.N. Singh, I.F.S.)

Member Secretary

Central Zoo Authority

Acknowledgement

The II edition of the National Studbook of Indian Wild Ass is a part of the assignment to the Wildlife Institute of India, Dehradun by the Central Zoo Authority, New Delhi on the development and maintenance of studbooks of selected endangered species in Indian zoos.

The Project team is thankful to the Central Zoo Authority for the financial support in carrying out the assignment. The guidance and support extended by Dr. D. N. Singh, IFS, Member Secretary, CZA is gratefully acknowledged. The authors also thank Dr. Brij Kishore Gupta, Evaluation and Monitoring Officer, Dr. Devender Singh, Scientific Officer and the support staff of the Central Zoo Authority for facilitating this work.

The valuable advice and support provided by Dr. V.B. Mathur, Director, WII and Dr. G.S. Rawat, Dean Faculty of Wildlife Sciences, is also acknowledged.

The team sincerely acknowledges the support and help extended by Shri. S.J. Pandit, Director, and Dr. Riyaz Kadivar, Wildlife Veterinarian, Sakkarbaug Zoo, Junagadh towards facilitating the successful development of the studbook.

We also thank Mr. Mukesh Arora for layout and design of this document.

Project team

CONTENTS			
Species Biology: Wild Ass (Equus hemionus khur)	1		
Status in Captivity	4		
Methods	4		
Scope of the Studbook	5		
Analysis	5		
Demographic Analysis			
Genetic Analysis			
Breeding Recommendations			
Targets for Population Management			
Conclusions & Recommendations			
References	12		
Appendix I: Historical Population	14		
Appendix II: Living Population- Location wise	18		
Appendix III: Pedigree Chart Report	19		

Species Biology: Wild Ass (Equus hemionus khur)

Taxonomy

Kingdom:AnimaliaPhylum:ChordataClass:MammaliaOrder:Perissodactyla

Family : Equidae Genus : Equus

Species : hemionus (Pallas, 1775)
Sub-species : khur (Lesson, 1827)



Indian wild ass (*Equus hemionus khur*) is an odd toed ungulate of the family Equidae that comprises of seven closely related species placed in a single genus *Equus* (George and Ryder, 1986; Oakenfull *et al.*, 2000). The extant species included in the genus *Equus* include caballines or true horses (*E. caballus and E. przewalskii*) and non-caballines: hemionid or Asian Wild Ass (*E. hemionus* and *E. kiang*), African Wild Ass (*E. africanus ssp.*) and Zebra (*E. greyvi*, *E. burchelli antiquorum* and *E. zebra hartmannae*) (Oakenfull, *et al.*, 2000; Orlando, *et al.*, 2009).

Asian Wild Asses include five geographically isolated subspecies of *E. hemionus* and *E kiang* (Oakenfull, *et al.* 2000; Grubb, 2005; Kaczensky, *et al.* 2011).

- 1. Equus hemionus hemionus the Mongolian Khulan (in northern Mongolia) (E. h. luteus the Gobi Khulan or Dziggetai in southern Mongolia and northern China, is probably a synonym of E. h. hemionus
- 2. E. h. khur the Khur (India)
- 3. *E. h. kulan* the Turkmen Kulan (in Turkmenistan, re-introduced in Kazakhstan, Uzbekistan, Ukraine and mixed *E. h. kulan* x *E. h. onager* in Israel)
- 4. E. h. onager the Onager (Iran and re-introduced and mixed E. h. kulan x E. h. onager in Israel)
- 5. *E. h. hemippus* the Syrian Wild Ass (Extinct, formerly from the eastern shore of the Mediterranean Sea south into the Arabian Peninsula)

The taxonomy of Asiatic Wild Ass remains to be fully elucidated; however, morphological, chromosomal and mitochondrial DNA analysis suggest the placement of Tibetan Wild Ass or Kiang (*Equus kiang*), as a distinct species (Ryder and Chemnick, 1990). The close relationship between Asiatic Wild Ass, with Kiang and Onager being considered as subspecies of *E. hemionus* (Schlawe,1986) is not supported by recent phylogenetic studies carried out using molecular genetics and literature based supertree and supermatrix approaches (Price and Bininda-Emonds, 2009).

Morphology and Natural History

The Asiatic Wild Ass resembles horses most closely (Nowak, 1991). The coat colour varies ranging from light brown to reddish brown while the ventral surface rump and muzzle are white (Nowak 1991, Macdonald, 2006). A short erect mane continues as a dark brown stripe on the back occasionally with a white margin, with the end of the tail blackish. (Blanford, 1888 – 1891, Feh, *et al.* 2002). Each foot has a single toe with a solid hoof (Feh, *et al.* 2002). The species is characterized by a horse like; head and body length ranges between 200 cm to 220 cm, while shoulder height is between 110 cm to 120 cm with a body weight ranging between 200 – 260 kg (Blanford, 1888 – 1891, Feh, *et al.* 2002). Foals are born after a gestation period of 11 months with birth peak between April – September (Feh , *et al.* 2002).

Table 1: Morphometry and natural history traits of Asiatic wild ass

Trait	Range
Body Mass	200 – 260 kg
Body length	1.98 – 2.44 m
Breeding	Seasonal (April - September)
Average number of offspring	1
Gestation period	339 days
Weaning age	12 – 24 months
Age at sexual maturity	3 – 4 years
Longevity (free ranging)	12 years
Longevity (captivity)	26 years

Source: Feh, et al., 2001

Reproduction

Reproduction in Khur is similar to other equids in that they are polyestrous with estrus recurring until conception or the end of the breeding season. Age of first reproduction is typically one to several years later for males than for females. They do not experience a lactational anestrus, and can ovulate and copulate during lactation (Asa, 2002).

Habitat Ecology

The sub-species inhabits arid and saline thorn scrub in the Little Rann of Kutch (LRK) (Champion and Seth, 1968). An exotic thorny shrub; *Prosopis juliflora* was introduced in areas adjoining LRK during 1899 – 1900, subsequently plantation of the shrub was adopted for limiting the spread of the desert (Joshi, 1959). The area inhabited by the animal undergoes annual flooding during the



monsoon season with the emergence of Cyperus sp. and Scirpus sp. (Shah, 1993).

Seasonal variation in habitat preference is observed with medium and high density scrubland being utilised during summer and winter seasons while croplands were preferred during monsoons and winter due to the concentrated availability of resources (Shah, 1993). Pods of *P. juliflora* form a major component of diet of the Wild Ass during summer, as most of the ground becomes devoid of vegetation due to trampling by cattle.

They are generalist herbivores feeding on grasses during monsoon and winter. The preferred forage species include members of the Cyperacea family during monsoons and as the vegetation dries up (during late winter and summer) dried annual graminoid species and crops form a large part of their diet. During summer they browse on *Prosopis* pods and leaves. Equids primarily feed during the day (Pratt *et.al.* 1986); however, in irrigated tracts of their habitat Khur have adapted to become more active during the night, raiding resource rich croplands (Shah, 1993). Proximity to water is another critical factor regulating spatial pattern of habitat utilization as Wild Ass similar to other equids need to drink water at least once during the day (Shah, 1993).

Behavioural Ecology

Social organization and behaviour

Group size in the wild ass varies widely with fission-fusion occurring throughout the year. Groups consist of two primary social units, the family/breeding band consisting of multiple age classes of females, foals, yearlings and few (occasional) sub-adult males and dominant stallion and all-male groups (Shah, 1993). The group members have weak bonds except that of female-foal bond. Group fusion to form large family groups has been observed during monsoon when good quality food is abundant in the form of fresh grass (Shah, 1993).

Territoriality

Dominant males defend territories throughout the year with territorial males excluding other males from their territory. Dominance hierarchy in territorial males is defined by resource availability with higher ranked males holding territories that have access to safe and maximum vegetation biomass that attract post partum cycling females (Ginsberg, 1988). Territorial stallions soil themselves with mud/slush to advertize their dominance and urinate-defecate on the edge of their territories for marking territories during the breeding period (Shah, 1993).

Territories are defended by aggressive interactions between the dominant males and challengers with the loser being ostracized. The prime males holding the best territories try to herd all mares entering their territory while excluding all-male bands. The quality of resources available in the territory attracts mares for a limited duration during the mating season, allowing the territorial males exclusive mating rights with the females (Shah, 1993).

Reproductive behaviour

The reproductive behaviour of Khur is similar to other wild equids; the males are polygynous and mate with any estrous females that enter its territory while the females are polyandrous mating with a range of males whose territories they cross (Shah,1993).

Estrous behaviour exhibited by domestic mares includes an increased frequency of urination, isolating itself from other mares and moving close to the stallion. The tail is deflected to one side or held straight out from the perineum, with a rhythmic eversion of the clitoris. The posture of estrous mares is characterized by a slightly lowered head, ears held back and to the side, and relaxed facial muscles. In response, the stallion exhibits a flehmen response over-marking with urine. Mounting is preceded by the stallion resting its head for a brief period on the mares' hindquarters.

Distribution

The historical distribution of the species extended across the arid zone of north-western Indian subcontinent; however, the present distribution is restricted to the Little Rann of Kutch in Gujarat (Corbet and Hill, 1992). The Khur presently have expanded their range from beyond LRK to the Rajasthan and Pakistan borders in the north and west and Nalsarovar Sanctuary and Bhal areas of Gujarat (Singh, 2001) along with an increase in their population (Shah, 2004).

.Udaipur Mandsaur Maksooda Ratlam. Equus hemionus ssp. khur Vadodara Dhar Rajkot PRADESH Re Junagadh, Bhavnagar Jalgaon, The Dangs Malegaon "Ako Vasai. .Kalyan Ahmednagar Mumbai. Pune MAHARASHTRA Solapur. Hyde Kolhapur Extant (resident) Belagavi IUCN SSC .Hubballi Figure 1: Distribution range of Khur (Kaczensky 2015)

Threats and Conservation Status

The population of Khur is vulnerable to disease threats as is evinced by outbreaks of *Surra* in 1958 and 1960 (Gee, 1963) and drought that resulted in severe population declines. Anthropogenic activities viz. construction of the Sardar Sarovar Project, grazing pressure from increased livestock presence, salt collection and land use changes are also potent threats (Goyal, *et al.* 1999; Shah, 1993; Sinha, 1993).

This species is assessed as Near Threatened (NT) because a population decline of at least 20% is projected over the next three generations, based on old prevailing and newly emerging risks, thus approaching Vulnerable (VU) under A3bcd (Kaczensky, 2015). They are listed as a Schedule I species in the Wildlife protection act (1972).

Status in Captivity

As of March 2001, there were 10 (5:5) Khur in captivity in four Indian zoos of which Sakkarbaug Zoo (Gujarat) had seven (5:2). The only breeding population in captivity is based in Sakkarbaug Zoo with the other zoos having only solitary individuals. With no captive Khur population elsewhere in the world, it is of paramount importance to upgrade the existing captive breeding centre at Sakkarbaug Zoo in Junagadh, Gujarat (Shah, 1996).

Methods


Data on individual history was collected by means of questionnaires, zoo visits and from the websites of CZA and ZIMS (Zoological Information Management System). Questionnaires were sent to the

institutions housing Khur in India, requesting information for each captive specimen. Data was entered in the Single Population Analysis and Records Keeping System (SPARKS *v* 1.66) (ISIS 2004) and subsequently exported to population management programme PMx *v* 1.2 (Ballou, *et al.* 2011) for further analysis.

Scope of the Studbook

The second edition of the National Studbook of Indian Wild Ass is a chronological record of the population of the species in Indian zoos. This edition lists data till December 2015 and includes all

information made available by the holding zoos. The quality of data available with reference to the analysis carried out is summarized in Figure 2. A total of 77 individuals are registered in the Studbook as per records provided by the two holding zoos. Complete information on dates of entry and exit viz. age was known for 29 specimens. Birth dates were known for 26 captive-born individual, while birth known for estimates were 3 wild-born individuals. Complete parentage records were available for 14 including 14 with sire IDs and



26 with dam IDs. Acquisition dates of wild-born individuals were known for 51 specimens while death dates were known for all the 50 mortalities that occurred.

Analysis

Demographic Analysis


Census trends


Khur have been housed at six Indian zoos since 1958 with a historical population of 77 individuals (40.36.1). This includes 51 (25.25.1) wild-born and 25 (14.11.0) captive-born individuals and one wild conceived specimen. An overview of the captive population is summarized in Table 2, and the details of individual specimens in the captive population are provided as Appendix - I.

Table 2: Summary of the historical population

	Males	Females	Unknown	Total
Total Studbook size	40	36	1	77
Total number of acquisitions from wild	25	25	1	51
Total number of births	14	11	0	25
Total number of wild-conceived individuals	1	0	0	1
Total number of deaths	22	27	1	50
Total number of LTFs (lost to follow up)	10	4	0	14
Total number of breeding individuals	3	9	0	12
Wild-born that have bred	1	6	0	7
Captive-born that have bred	1	3	0	4
Wild-conceived that have bred	1	0	0	1

The origin and development of this population are presented as the origin based census trends in Figures 3 and sex based census trends in Figure 4 respectively. The captive population was established with one wild-born (1.0.0) stallion and the first birth in captivity occurred in 1996. The current population of 13 (8.5.0) and includes one (0.1) wild origin and one wild conceived (1.0.0) specimen each. The remaining 11(7.4.0) specimens were born in captivity.






The first birth in captivity was recorded in 1996 and subsequently the proportion of captive origin specimens has increased with wild origin specimens (including the wild conceived specimen) being only 18% of the current captive population. The population is characterized by its small size having less than 10 individuals till 2006 and a male bias for most its history with a mean population of 5.5254 specimens each year that ranged between a maximum of 13 individuals and a minimum of 1 individual. Table 2 summarizes the historical population in captivity. Pedigrees of the captive specimens are presented in Appendix III.

Trends of Natality and Mortality

The small population size and the limited number of known age specimens in the captive population limits life table analysis (Traylor-Holzer, 2011)). A perusal of Figure 5 (patterns of natality and mortality) for the captive population indicates that for most of its history in captivity, the population had a mortality rate that exceeded natality rate, resulting in a limited growth in population size. Further the number of captive births is inadequate for the development of a demographically stable captive population.



Age distribution

The living population includes nine (6.3.) specimens in the reproductively active age classes with a likely inclusion of two more female foals in the forthcoming two years. The age distribution of the captive population indicates absence of individuals in a large number of age classes and few births

leading to a limited population growth. The poor birth rate can be attributed to the presence of only three reproductively active females and six males in the captive population. The age distribution suggests that further recruitment of specimens in the prereproductive and reproductive age classes is essential for effective management of the population for *ex-situ* conservation.

Living population

The living population of wild ass in captivity is maintained at Sakkarbaug Zoo, Junagadh and includes 13 (8.5.0) specimens. It includes one

Nemales

Non-breeding Age

Breeding Age

Breeding Age

N= 5

N= 5

N= 5

N= 6

N= 5

N= 6

N= 5

N= 6

N= 6

Age

N= 6

Age

Serious Age

N= 5

Remais

Females

Figure 6: Age distribution

specimen of wild origin and one wild conceived specimen while the remaining 11 (7.4.0) are captive born. Details of the living population are presented in Appendix II.

Table 3: Summary of the living population


	Males	Females	Unknown	Total
Total no. of living individuals	8	5	0	13
Total number of wild-born individuals	0	1	0	1
Total number of captive-born individuals	7	4	0	11
Total number of wild-conceived individuals	1	0	0	1
Total number of breeding individuals	2	2	0	4
Wild-born that have bred	0	1	0	1
Captive-born that have bred	1	1	0	2
Wild-conceived that have bred	1	0	0	1

Population growth rate and projection

Life tables summarize the vital rates i.e. fecundity and mortality of a population. The captive population of wild ass; however, comprises of only 77 specimens that includes a large proportion of unknown age individuals thus limiting meaningful life table analysis. The population growth rate, generation time and population projected after 20 years (Table 4) are based on the limited number of known age specimens and are only indicative of the population's vital trends. The extended generation time of females (8.9 years) is a cause of concern as it indicates the poor reproductive output of females and a male bias in births. Population projection for the next 20 years based

Table 4: Life Table Summary

	Males	Females	Population
Population growth rate λ	1.058	1.026	1.042
Generation time T	6.3 years	8.9 years	7.6 years
Projected N 20 years	12.3	7.6	19.9



on the life table analysis carried out for a maximum population of 100 specimens indicates that the target population could be achieved over the next 10 years and a stable population maintained thereafter.

Genetic Analysis

Genetic Summary

The captive population owes its origin to five (1.4) founders and retains only 79.70% of gene diversity brought in by these animals. The living population includes 11 captive origin specimens and one wild conceived and wild origin specimen each, this limits further enhancement of the gene diversity in the captive population. The population also has a high mean kinship value (Table 5) that indicates shared parentage at the level of both-parents to one-parent and one-grandparent.

Table 5: Genetic Summary

Founders	5
Potential (additional) Founders	0
Living Animals	13
Living Descendants	11.00
Gene Diversity	0.7970
Population Mean Kinship	0.2030
Founder Genome Equivalents	2.46
Mean Inbreeding	0.0250
Ne/N	0.2424

The close relatedness is attributed to the small population size and only five founders having contributed to the captive population and the small population size that limit mating choices. The lack of potential founders in the captive population limits choices that can be used for maintenance of genetic diversity. The captive population retains the genetic diversity of 2.46 wild origin animals as is indicated by the founder genome equivalents present in the population. The limited number of captive births 25 (14.11.0) has resulted in a mean inbreeding level of 0.0250.

Breeding Recommendations

The long-term maintenance of viable populations in captivity is dependent on their genetic viability and

demographic stability. This is best achieved by regulating mating choices to ensure retention of maximum levels of genetic diversity in target populations. The mating choices for Indian wild ass in captivity were developed using "Mate Suitability Index' (MSI) scores obtained using PMx and are summarized in Table 6. The small population size of the population and further of genetic diversity as a consequence of pairing other individuals in the captive population has resulted in their exclusion

Table 6: Mate choices

Dam	MSI
00064	1
00064	1
00064	3
00064	3
	00064 00064 00064

from the breeding recommendations. The inclusion of additional unrelated wild origin animals that are reproductively active is essential for maintaining a demographically stable and genetically viable population.

A detailed description of MSI scores and how to use them is provided in box 1. The mating choices exercised should also aim at the avoidance of pairing multiple progeny of one set of parents with that of another set of parents to ensure retention of maximum genetic diversity in the population.

Box 1: Mate Suitability Index (MSI)

It is a numerical genetic assessment of a male-female pair that incorporates several variables into one ranking (MSI range is 1 to 7, with 1 being the most genetically beneficial).

The default value in the table is the *MSI* (Mate Suitability Index) value for each male –female pair. *MSI* is a composite score that integrates four genetic components into a single index:

Delta GD (dGD): Change in gene diversity (GD) of the population if one offspring is produced by the pair. Positive dGD increases the GD of the population, while negative dGD decreases GD.

Differences in MK values (MKDiff): Difference in the genetic value (mean kinship value) of the male and female. Breeding a pair with a large MKDiff is detrimental because it combines under-represented and over-represented genetic lines.

Inbreeding coefficient (F): Inbreeding coefficient of any offspring resulting from the pair (i.e., the kinship value for the pair). Inbreeding is considered to be detrimental to the fitness of the resulting offspring.

Unknown ancestry: The amount of unknown ancestry in the male and female. Incomplete pedigree information means that the genetic value and relatedness of a pair cannot be accurately calculated.

- 1 = very beneficial (genetically) to the population;
- 2 = moderately beneficial,
- 3 = slightly beneficial;
- 4 = slightly detrimental,
- 5 = detrimental, should only be used if demographically necessary
- 6 = very detrimental (should be considered only if demographic considerations override preservation of genetic diversity)
- "-"= very highly detrimental (should not be paired, due to high level of kinship of pair)

Using Pairwise Info

The default table of *MSI* values for pairs can be used to quickly assess the relative genetic value of a pair, subset of pairs, potential mates for one individual, and many other valuable data when making breeding recommendations. This can be especially helpful to quickly explore options for pairing individuals at one facility that houses numerous individuals of each sex or to quickly identify an alternative suitable mate if a recommended breeding fails.

Source: Traylor-Holzer, K. (ed.). 2011.


Targets for Population Management

Indian wild ass is listed under Schedule I of the Wildlife Protection act of India and as Vulnerable in the IUCN Red List and has a restricted range of distribution limited to the Little Rann of Kutch and adjoining areas. It is therefore imperative to manage the captive population in a manner that ensures maintenance of genetic viability, demographic stability and availability of surpluses for reintroduction/restocking.

The data obtained for the captive population was modelled using PMx (Ballou, *et. al.* 2011) to obtain deterministic projection of gene diversity and population size over time, based on the population characteristics. Two of the models run are presented here.


Scenario 1: Without supplementation

The first model was run retaining the current population characteristics (Figure 8) with the goal of retaining 90% genetic diversity at the end of 100 years. It revealed that the population would retain only 43.1% of the genetic diversity introduced by founders as compared to the desired 90% genetic diversity.



Scenario 2: With supplementation

The second model (Figure 9) was run by supplementation of one new effective founder every third year for the next 100 years and increasing the maximum captive population size to 100 animals. The model indicated that modifying the population characteristics ensured its survival over the next 100 years and that it could retain 90.4% of genetic diversity sampled from founder animals.



Conclusions and Recommendations

Indian wild ass has a limited range of distribution and is facing multiple threats to its survival; as a result, it has been placed in the Schedule I of the Wildlife Protection Act and in the IUCN Red list as Vulnerable. The maintenance of an ex-situ population both for insurance and reintroduction is essential towards ensuring the long term survival of the animal.

The current captive population is characterised by a total population size of 13 (8.5.0) individuals housed at two institutions in India. Birth events are sporadic and limited in number and the larger proportion of wild origin animals included in the population have failed to reproduce thus limiting

recruitment and the continuous low population size. The population shows low rate of increment (λ =1. 042), retains 79.7% of the genetic diversity from 5 (1.4) founders and exhibits a high level of relatedness between specimens (MK= 0.2030). The continued poor reproductive output of both the captive and wild origin animals is suggestive shortcomings in the husbandry of the species.

Management interventions suggested for ensuring the desired growth and long term viability of the population include:

- i. Regulating mate choices according to the pairing recommendations included in the studbook.
- ii. Supplementation of the population periodically with wild origin animals to ensure demographic stability and genetic viability.
- iii. A review of existing husbandry practices followed to address shortcomings in the same may ensure improved reproductive output.
- iv. The creation of additional holding facility to house the target population size of 100 animals.

Implementation of these measures will ensure the availability of surpluses for reintroduction in suitable habitats if necessary at a future date.

References

Asa, C.S. (2002). Equid Reproductive Biology. In: Moehlman, P.D. (Ed.) Equids: Zebras, Asses, and Horses: Status Survey and Conservation Action Plan. IUCN/SCC Equid Specialist Group, IUCN, Gland Switzerland and Cambridge, UK. Available at: http://data.iucn.org/dbtw-wpd/edocs/2002-043.pdf

Ballou, J.D., Lacy, R.C. and Pollak, J.P. (2011) PMx: software for demographic and genetic analysis and management of pedigreed populations (version 1.2). Chicago Zoological Society, Brookfield, IL, USA. Available from: http://www.vortex10.org/PMx.html.

Blanford, WT (1888 – 1891). Mammalia Part 2 Chiroptera, Rodentia, Ungulata, Cetacea, Sirenia, Edentata Edited by W.T. Blanford Publishers Taylor and Francis, London

Champion, H.G. and Seth, S.K. (1968). A revised survey of the forest types of India. Manager of Publication Government of India, New Delhi. 404 pp.

Corbet, G.B and Hill, J.E. (1992). The mammals of the Indo-Malayan Region: a systematic review. National History Museum Publications. Oxford Univ. Press.

Feh, C.; Munkhtuya, B.; Enkhbold, S.; Sukhbaatar, T. (2001). Ecology and Social Structure of the Gobi Khulan (*Eguus hemionus subsp.*) in the Gobi B National Park, Mongolia. – Biological Conservation 101: 51–61.

Feh, C.; Shah, N.; Rowen, M.; Reading, R. and Goyal, S.P. (2002). Status and Action Plan for the Asiatic Wild Ass (*Equus hemionus*). In: Moehlman, P.D. (Ed.) Equids: Zebras, Asses, and Horses: Status Survey and Conservation Action Plan. IUCN/SCC Equid Specialist Group, IUCN, Gland Switzerland and Cambridge, UK. Available at: http://data.iucn.org/dbtw-wpd/edocs/2002-043.pdf

Gee, E.P. (1963). The Indian Wild Ass: A Survey. J. Bombay Natural History Society, 60 (3), 517–529.

George, M.J. and Ryder, O.A. (1986). Mitochondrial DNA evolution in the genus *Equus*. Molecular Biology and Evolution, 3, 535–546.

Ginsberg, J.R. (1988). Social organization and mating strategies of an arid adapted equid: The Grévy's zebra. PhD thesis, Princeton University, Princeton, New Jersey. 268pp.

Goyal, S. P., Sinha, B., Shah, N. and Panwar, H. S. 1999. Sardar Sarovar Project – a conservation threat to the Indian wild ass (*Equus hemionus khur*). Biological Conservation 88: 277-284.

Grubb, P. (2005). Artiodactyla. In: D.E. Wilson and D.M. Reeder (eds), Mammal Species of the World. A Taxonomic and Geographic Reference (3rd ed), pp. 637-722. Johns Hopkins University Press, Baltimore, USA

ISIS (International Species Information System) (2004). SPARKS 1.54: Single Population Analysis and Records Keeping System. Eagan, MN: International Species Information System. Available from: www.isis.org

Joshi, N.J. (1959). Afforestation work under the Cutch Desert Immobilization scheme, Banaskantha Division, Gujarat State; Dry Zone Afforestation Symposium-. F.R.I., Dehra Dun.

Kaczensky, P.; Kuehn, R.; Lhagvasuren, B.; Pietsch, S.; Yang, W. and Walzer, C. (2011). Connectivity of the Asiatic wild ass population in the Mongolian Gobi. Biological Conservation 144: 920-929.

Kaczensky, P.; Lkhagvasuren, B.; Pereladova, O.; Hemami, M. and Bouskila, A. (2015). *Equus hemionus. The IUCN Red List of Threatened Species* 2015: e.T7951A45171204. http://dx.doi.org/10.2305/IUCN.UK.2015-4.RLTS.T7951A45171204.en downloaded on March 12 2016

Macdonald, D.W. (2006). The Encyclopedia of Mammals. Oxford University Press, Oxford.

Nowak, R.M. (1991). Walker's Mammals of the World. The Johns Hopkins University Press, Baltimore and London.

Oakenfull, E.A.; Lim, H.N. and Ryder, O.A. (2000). A survey of equid mitochondrial DNA: implications for the evolution, genetic diversity and conservation of Equus. Conservation Genetics 1: 341-255.

Orlando, L.; Metcalf, J.L.; Alberdi, M.T.; Telles-Antunes, M.; Bonjean, D.; et al. (2009). Revising the recent evolutionary history of equids using ancient DNA. Proceedings of the National Academy of Sciences of the United States of America 106: 21754–21759. doi: 10.1073/pnas.0903672106

Pratt, R.M.; R.J. Putman; J.R. Ekins and Edwards, P.J. (1986). Use of habitat by free-ranging cattle and ponies in the new forest, Southern England. J. Appl. Ecol., 23 : 539-557.

Price, S.A. and Bininda-Emonds, O.R.P. (2009). A comprehensive phylogeny of extant horses, rhinos and tapirs (Perissodactyla) through data combination. Zoosyst. Evol. 85 (2) 277–292 / DOI 10.1002/zoos.200900005

Ryder, O. and Chemnick, L.(1990). Chromosomal and molecular evolution in Asiatic Wild Asses. Genetica, 83, 67–72.

Schlawe, L. (1986). Seltene pfleglinge aus Dschunarei und Mongolei, kulane, *Equus hemionus hemionus* Pallas, 1775 – Zoologische Garten, Neue Folge 56: 299–323.

Shah, N. V. (1993). Ecology of Wild Ass (*Equus hemionus khur*) in Little Rann of Kutch. Ph.D. Thesis, The Maharaja Sayajirao University of Baroda, Baroda 390 002, India.

Shah, N.V. (1996). Status and Distribution of Western Kiang (*Equus kiang kiang*) in Changthang Plateau, Ladakh, India. Report, M. S. University of Baroda, and Gujarat Nature Conservation Society, Gujarat, India.

Shah, N. V (2004). Indian wild ass or Khur in Sankar, K and Goyal, S.P. (Eds.) 2004. Ungulates of India. ENVIS Bulletin: Wildlife and Protected Areas, Vol. 07, No. 1. Wildlife Institute of India, Dehradun, India. Pp. 448.

Singh H.S. (2001). Indian Wild Ass (*Equus Hemionus Khur*) in the Little Rann of Kutch, Gujarat, India. JBNHS Volume 98 Pages 327--334

Sinha, B.C. (1993). Impact of landuse of the eco-degradation of the wild ass habitat in Little Rann of Kutch, Gujarat. Report, Wildlife Institute of India, Dehra Dun, India.

Traylor-Holzer, K. (ed.) (2011) PMx Users Manual, Version 1.0. IUCN SSC Conservation Breeding Specialist Group, Apple Valley, MN, USA.

Appendix - I

Historical Population of Equus hemionus khur

National Stud#	Sex	Birth Date	Sire	Dam	Location	Date	Local ID	Event
00001	М	????	WILD	WILD	INDIA JUNAGADH	6-Jan-58 6-Jan-58 9-Oct-72	1	Capture Transfer Death
00002	F	????	WILD	WILD	INDIA JUNAGADH	31-May-60 31-May-60 15-Nov-60	2 2	Capture Transfer Death
00003	F	????	WILD	WILD	INDIA JUNAGADH	18-Nov-64 18-Nov-64 19-Jul-69	5	Capture Transfer Death
00004	М	????	WILD	WILD	INDIA JUNAGADH	6-Dec-66 6-Dec-66 14-Dec-66	3	Capture Transfer Death
00005	М	????	WILD	WILD	INDIA JUNAGADH AHMEDABAD	6-Dec-66 6-Dec-66 31-Dec-70	4	Capture Transfer Itf
00006	F	????	WILD	WILD	INDIA JUNAGADH	30-Oct-69 30-Oct-69 2-Nov-69	6	Capture Transfer Death
00007	F	????	WILD	WILD	INDIA JUNAGADH	25-May-70 25-May-70 23-Jun-70	7	Capture Transfer Death
00008	F	????	WILD	WILD	INDIA JUNAGADH	25-May-70 25-May-70 30-May-70	8	Capture Transfer Death
00009	F	????	WILD	WILD	INDIA JUNAGADH	25-May-70 25-May-70 24-Jun-70	9	Capture Transfer Death
00010	М	????	WILD	WILD	INDIA JUNAGADH AHMEDABAD	4-Jun-71 4-Jun-71 7-Jan-77	10 10 10	Capture Transfer Itf
00011	F	????	WILD	WILD	INDIA JUNAGADH	4-Jun-71 4-Jun-71 7-Aug-71	11	Capture Transfer Death
00012 JULIYET	F	????	WILD	WILD	INDIA JUNAGADH	11-Oct-74 11-Oct-74 4-Sep-83	JULIYE JULIYE	Capture Transfer Death
00013	F	????	WILD	WILD	INDIA JUNAGADH	11-Oct-74 11-Oct-74 22-Apr-75	13 13	Capture Transfer Death
00014	М	????	WILD	WILD	INDIA JUNAGADH	10-Jan-75 10-Jan-75 30-Mar-75	14 14	Capture Transfer Death
00015	М	????	WILD	WILD	INDIA JUNAGADH AHMEDABAD	18-Jan-75 18-Jan-75 7-Jan-77	15 15 15	Capture Transfer Itf
00016	М	????	WILD	WILD	INDIA JUNAGADH	31-Jul-76 31-Jul-76	16 16	Capture Transfer

National Stud# Name	Sex	Birth Date	Sire	Dam	Location	Date	Local ID	Event
						15-Aug-76		Death
00017	M	????	WILD	WILD	INDIA	13-Nov-76	17	Capture
					JUNAGADH	13-Nov-76	17	Transfer
						16-Jul-81		Death
00018	M	????	WILD	WILD	INDIA	13-Nov-76	18	Capture
					JUNAGADH	13-Nov-76	18	Transfer
						3-Dec-76		Death
00019	M	????	WILD	WILD	INDIA	23-Mar-77	19	Capture
					JUNAGADH	23-Mar-77	19	Transfer
						12-Sep-77		Death
00020	?	????	WILD	WILD	INDIA	5-Aug-77	20	Capture
					JUNAGADH	5-Aug-77	20	Transfer
						19-Aug-77		Death
00021	М	????	WILD	WILD	INDIA	24-Oct-77	21	Capture
					JUNAGADH	24-Oct-77	21	Transfer
					HYDERABAD	15-Nov-77	21	ltf
00022	М	????	WILD	WILD	INDIA	24-Oct-77	22	Capture
					JUNAGADH	24-Oct-77	22	Transfer
						1-Dec-81		Death
00023	F	????	WILD	WILD	INDIA	8-Jan-78	23	Capture
00020			11125	1112	JUNAGADH	8-Jan-78	23	Transfer
					AHMEDABAD	23-Feb-78	23	Itf
00024	F	????	WILD	WILD	INDIA	8-Jan-78	24	Capture
	'		VVILD	WILD	JUNAGADH	8-Jan-78	24	Transfer
					0011/10/1011	24-Jan-80	24	Death
00025	F	????	WILD	WILD	INDIA	1-Jun-78	25	Capture
00023	'		VVILD	VVILD	JUNAGADH	1-Jun-78	25	Transfer
					JONAGADIT	4-Sep-78	23	Death
00026	М	????	WILD	WILD	INDIA	1-Jun-78	26	Capture
00020	IVI	' ' ' '	VVILD	VVILD	JUNAGADH	1-Jun-78	26	Transfer
					JUNAUADIT	6-Sep-78	20	Death
00027	М	????	WILD	WILD	INDIA	1-Jun-78	27	Capture
00021	IVI	1111	VVILD	VVILD	JUNAGADH	1-Jun-78	27	l _
					JUNAGADIT	23-Sep-78	21	Transter Death
00028	F	????	WILD	WILD	INDIA	3-Jul-79	28	Capture
00020	-	1111	VVILD	VVILD	JUNAGADH	3-Jul-79	28	Transfer
					JUNAGADIT	17-Jul-79	20	Death
00029	F	????	WILD	WILD	INDIA	3-Dec-79	29	
00029	-	1111	VVILD	VVILD	JUNAGADH	3-Dec-79 3-Dec-79	29	Capture Transfer
					JUNAGADIT	6-Dec-79	29	Death
00030	М	????	WILD	WILD	INDIA		30	
00030	IVI	(((WILD	VVILD	JUNAGADH	1-May-81		Capture
						1-May-81	30	Transfer
00024	N /	????	WILD	WILD	NANDANKAN	30-Oct-84	30	Itf
00031	М	((((WILD	WILD	INDIA	27-Jun-82	31	Capture
				1	JUNAGADH	27-Jun-82	31	Transfer
00000	-	2000	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	14/11 5	AHMEDABAD	4-Sep-85	31	Openhana
00032	F	????	WILD	WILD	INDIA	27-Jun-82	32	Capture
TEPUDI					JUNAGADH	27-Jun-82	32	Transfer
00000		0000	14 =	114711 =	INIDIA	29-Aug-04		Death
00033	M	????	WILD	WILD	INDIA	18-Sep-83	HALAMAN	Capture
HALAMAN				1	JUNAGADH	18-Sep-83	HALAMAN	Transfer
						16-May-89		Death

National Stud# Name	Sex	Birth Date	Sire	Dam	Location	Date	Local ID	Event
00034	М	????	WILD	WILD	INDIA	18-Aug-84	34	Capture
					JUNAGADH	18-Aug-84	34	Transfer
						24-Aug-84		Death
00035	М	????	WILD	WILD	INDIA	18-Aug-84	35	Capture
					JUNAGADH	18-Aug-84	35	Transfer
						24-Aug-84		Death
00036	F	????	WILD	WILD	INDIA	18-Aug-84	36	Capture
					JUNAGADH	18-Aug-84	36	Transfer
					MADRAS	19-Sep-84	36 37	ltf
00037	F	????	WILD	WILD	INDIA	18-Aug-84		Capture
					JUNAGADH	18-Aug-84	37	Transfer
						6-Sep-84		Death
00038	M	????	WILD	WILD	INDIA	23-Aug-84	38	Capture
					JUNAGADH	23-Aug-84	38	Transfer
						18-Oct-84		Death
00039	M	????	WILD	WILD	INDIA	23-Aug-84	39	Capture
					JUNAGADH	23-Aug-84	39	Transfer
						9-Sep-84		Death
00040	М	????	WILD	WILD	INDIA	23-Aug-84	40	Capture
					JUNAGADH	23-Aug-84	40	Transfer
						11-Sep-84		Death
00041	М	????	WILD	WILD	INDIA	23-Aug-84	41	Capture
					JUNAGADH	23-Aug-84	41	Transfer
					MADRAS	19-Sep-84	41	ltf
00042	F	????	WILD	WILD	INDIA	23-Aug-84	42	Capture
					JUNAGADH	23-Aug-84	42	Transfer
						18-Oct-84		Death
00043	F	????	WILD	WILD	INDIA	23-Aug-84	43	Capture
					JUNAGADH	23-Aug-84	43	Transfer
					NANDANKAN	30-Oct-84	43	ltf
00044	F	????	WILD	WILD	INDIA	23-Aug-84	44	Capture
JETHI					JUNAGADH	23-Aug-84	44	Transfer
22215		1.0.10-				19-Oct-94		Death
00045	M	4-Oct-85	UNK	32	JUNAGADH	4-Oct-85	AMAR	Birth
AMAR	_	2000	14/11 5	14/11 5	AHMEDABAD	24-Feb-89	AMAR	ltf
00046	F	????	WILD	WILD	INDIA	25-Oct-85	46	Capture
GAJARA					JUNAGADH	25-Oct-85	46	Transfer
00047	_	07.0 07	00000	00000	II IN IA CA DI I	2-Oct-96	001111/4	Death
00047	F	27-Sep-87	00033	00032	JUNAGADH	27-Sep-87	SONIYA	Birth
SONIYA		0000	NA/II D	VA/II D	INIDIA	23-Jun-94	40	Death
00048	M	????	WILD	WILD	INDIA	15-Jun-88	48	Capture
					JUNAGADH	15-Jun-88	48	Transfer
00040	N 4	42 Nav. 00	00000	00044	ILINIACADIL	16-Aug-88	D A 11\/	Death
00049	M	13-Nov-88	00033	00044	JUNAGADH	13-Nov-88	RAJIV	Birth
00050	-	2222	WILD	WILD	AHMEDABAD	12-Sep-91	RAJIV	Itf
00050	F	????	WILD	WILD	INDIA	28-Feb-89	50	Capture
					JUNAGADH	28-Feb-89	50	Transfer
00051	N/I	22 1.1 00	00022	00022	II INIA CADIT	3-Mar-89	51	Death
00051	M	23-Jul-89	00033	00032	JUNAGADH	23-Jul-89	51	Birth
JOHN	N A	2222	WILD	WILD	INIDIA	4-Sep-10	E2	Death
00052	M	????	WILD	WILD	INDIA	31-Jan-90	52	Capture
MADHAV	<u> </u>				JUNAGADH	31-Jan-90	52	Transfer


National Stud# Name	Sex	Birth Date	Sire	Dam	Location	Date	Local ID	Event
						18-Feb-94		Death
00053	F	10-Feb-91	UNK	00044	JUNAGADH	10-Feb-91	53	Birth
REVATI						6-Jul-01		Death
00054	F	27-Jun-92	UNK	00046	JUNAGADH	27-Jun-92	54	Birth
SUJATA					DELHI	27-May-93	54	ltf
00055	М	9-Jul-92	UNK	00032	JUNAGADH	9-Jul-92	55	Birth
MOTI					DELHI	27-May-93	55	ltf
00056	F	19-Jul-93	UNK	00044	JUNAGADH	19-Jul-93	56	Birth
RADHA						15-Aug-96		Death
00057	М	11-Jun-94	UNK	00046	JUNAGADH	11-Jun-94	57	Birth
						11-Jun-94		Death
00058	М	23-Jun-95	UNK	00032	JUNAGADH	23-Jun-95	58	Birth
						15-Aug-96		Death
00059	М	23-Jul-95	UNK	00046	JUNAGADH	23-Jul-95	59	Birth
AKBAR						11-Jun-03		Death
00060	F	17-Aug-96	UNK	00053	JUNAGADH	17-Aug-96	60	Birth
						10-Sep-97		Death
00061	М	5-Jan-97	UNK	00032	JUNAGADH	5-Jan-97	10172	Birth
RAUDRA			• • • • • • • • • • • • • • • • • • • •	*****				
00062	F	~ 1994	WILD	WILD	INDIA	18-Aug-01	62	Capture
BEGAM					JUNAGADH	18-Aug-01	62	Transfer
						22-Sep-08		Death
00063	F	~ 1994	WILD	WILD	INDIA	18-Aug-01	10169	Capture
AISHA					JUNAGADH	18-Aug-01	10169	Transfer
						16-Jun-14		Death
00064	F	~ 1999	WILD	WILD	INDIA	18-Aug-01	10170	Capture
SITA					JUNAGADH	18-Aug-01	10170	Transfer
00065	М	31-Jan-02	WILD	00062	JUNAGADH	31-Jan-02	65	Birth
RUSTAM		0.0002		*****				
00066	М	12-Nov-05	00065	00063	JUNAGADH	12-Nov-05	10175	Birth
ABHEE						1.2.1.0.00		
00067	М	6-Jun-06	00065	00064	JUNAGADH	6-Jun-06	10176	Birth
PAVAN								
00068	F	27-Aug-06	00065	00062	JUNAGADH	27-Aug-06	10177	Birth
RUBY				*****		13-Jan-13		Death
00069	М	25-Nov-06	00065	00063	JUNAGADH	25-Nov-06	10178	Birth
HEUVAN		20 1101 00	00000		001111011211	25 1101 00	10110	
00070	F	27-Oct-07	00065	00064	JUNAGADH	27-Oct-07	70	Birth
RUSHIKA								
00071	F	29-Dec-09	UNK	00064	JUNAGADH	29-Dec-09	71	Birth
ANGEL					MADRAS	19-Apr-12	ANGEL	Transfer
00072	М	26-Sep-10	00065	00063	JUNAGADH	26-Sep-10	100380	Birth
LUKKHO		-5 556 15			MADRAS	19-Apr-12	100380	Transfer
00073	М	31-Dec-10	00066	00064	JUNAGADH	31-Dec-10	10522	Birth
00074	F	28-Jan-11	00065	00068	JUNAGADH	28-Jan-11	74	Birth
1 2001 1				33330	33.7.07.071	16-Mar-11		Death
00075	М	17-Jan-13	00066	00064	JUNAGADH	17-Jan-13	75	Birth
00076	F	18-Jun-13	00065	00004	JUNAGADH	18-Jun-13	76	Birth
00070	F	14-Aug-14	00066	00070	JUNAGADH	14-Aug-14	77	Birth
		14-Aug-14	100000	00004	JUNAGADIT	14-Aug-14	1 1	ווווטן
Totals: 40.36.1 ((()							

Living Population of Equus hemionus khur

National Stud#	Sex	Birth Date	Sire	Dam	Location	Date	Local ID	Event		
Name										
Arignar Anna Zoological Park, Chennai										
00071	F	29-Dec-09	UNK	00064	JUNAGADH	29-Dec-09	71	Birth		
ANGEL					MADRAS	19-Apr-12	ANGEL	Transfer		
Total Arignar An	Total Arignar Anna Zoological Park, Chennai: 0.1.0(1)									
Sakkarbaug Zoo	, Juna	gadh								
00061	М	5-Jan-97	UNK	00032	JUNAGADH	5-Jan-97	10172	Birth		
RAUDRA										
00064	F	~ 1999	WILD	WILD	INDIA	18-Aug-01	10170	Capture		
SITA					JUNAGADH	18-Aug-01	10170	Transfer		
00065	M	31-Jan-02	WILD	00062	JUNAGADH	31-Jan-02	65	Birth		
RUSTAM										
00066	M	12-Nov-05	00065	00063	JUNAGADH	12-Nov-05	10175	Birth		
ABHEE										
00067	M	6-Jun-06	00065	00064	JUNAGADH	6-Jun-06	10176	Birth		
PAVAN										
00069	M	25-Nov-06	00065	00063	JUNAGADH	25-Nov-06	10178	Birth		
HEUVAN										
00070	F	27-Oct-07	00065	00064	JUNAGADH	27-Oct-07	70	Birth		
RUSHIKA										
00072	M	26-Sep-10	00065	00063	JUNAGADH	26-Sep-10	100380	Birth		
LUKKHO					MADRAS	19-Apr-12	100380	Transfer		
00073	M	31-Dec-10	00066	00064	JUNAGADH	31-Dec-10	10522	Birth		
00075	М	17-Jan-13	00066	00064	JUNAGADH	17-Jan-13	75	Birth		
00076	F	18-Jun-13	00065	00070	JUNAGADH	18-Jun-13	76	Birth		
00077	F	14-Aug-14	00066	00064	JUNAGADH	14-Aug-14	77	Birth		
Total Sakkarbaug Zoo, Junagadh: 8.4.0(12)										
Totals: 8.5.0 (13)										

Appendix III

Pedigree Chart Report of Equus heinous khur



______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00006 ______ WILD WITID Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) House Name: dam\ /sire Tattoo: Tag/Band: 00006 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00007 ______ WILD WILD Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00007 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00008 ______ WILD Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: Tattoo: 00008 ______ Studbook Number: 00009 Taxon Name: EQUUS HEMIONUS KHUR WITID WILD Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: dam\ Tattoo: Tag/Band: 00009 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00010 ______ WILD WILD Sex: Male Birth Date: ???? Last Location: AHMEDABAD House Name: Tattoo: Tag/Band: 00010

______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00011 ______ WILD WITID Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00011 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00012 ______ WILD WTT.D Sex: Female Birth Date: ???? / Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00012 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00013 ______ WILD WILD Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) House Name: dam\ /sire Tattoo: Tag/Band: 00013 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00014 ______ WILD Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: Tattoo: 00014 _____ Studbook Number: 00015 Taxon Name: EOUUS HEMIONUS KHUR ______ WILD WILD Sex: Male Birth Date: ???? Last Location: AHMEDABAD /sire House Name: dam\ Tattoo: Tag/Band: 00015

______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00016 ______ WILD WITID Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00016 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00017 ______ WILD Sex: Male Birth Date: ???? / Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00017 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00018 ______ WILD WILD Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) House Name: dam\ /sire Tattoo: Tag/Band: 00018 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00019 ______ WILD Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00019 _____ Studbook Number: 00020 Taxon Name: EOUUS HEMIONUS KHUR ______ WILD WILD Sex: Unknown Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: dam\ Tattoo: Tag/Band: 00020

______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00021 ______ WILD WITID Sex: Male Birth Date: ???? Last Location: HYDERABAD /sire House Name: Tattoo: Tag/Band: 00021 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00022 ______ WILD Sex: Male Birth Date: ???? / Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00022 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00023 ______ WILD WILD Sex: Female Birth Date: ???? Last Location: AHMEDABAD House Name: dam\ /sire Tattoo: Tag/Band: 00023 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00024 ______ WILD Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: Tattoo: 00024 _____ Studbook Number: 00025 Taxon Name: EOUUS HEMIONUS KHUR ______ WILD WILD Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: dam\ Tattoo: Tag/Band: 00025


______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00026 ______ WILD WITID Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00026 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00027 ______ WILD WITID Sex: Male Birth Date: ???? / Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00027 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00028 ______ WILD WILD Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) House Name: dam\ /sire Tattoo: Tag/Band: 00028 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00029 ______ WILD Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00029 _____ Studbook Number: 00030 Taxon Name: EOUUS HEMIONUS KHUR ______ WILD WILD Sex: Male Birth Date: ???? Last Location: NANDANKAN dam\ /sire House Name: Tattoo: Tag/Band: 00030

______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00031 ______ WILD WITID Sex: Male Birth Date: ???? Last Location: AHMEDABAD House Name: Tattoo: Tag/Band: 00031 _____ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00032 ______ WILD WILD Sex: Female Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: TEPUDI Tattoo: Tag/Band: 12 (unk) 00032 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00033 ______ WILD Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: halaman Tattoo: Tag/Band: 00033 ______ Studbook Number: 00034 Taxon Name: EQUUS HEMIONUS KHUR ______ WILD WITID Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: dam\ Tattoo: Tag/Band: 00034 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00035 ______ WILD WILD Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) House Name: Tattoo: Tag/Band: 00035

______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00036 ______ WILD WITID Sex: Female Birth Date: ???? Last Location: MADRAS /sire House Name: Tattoo: Tag/Band: 00036 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00037 ______ WILD WTT.D Sex: Female Birth Date: ???? / Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00037 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00038 ______ WILD WILD Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) House Name: dam\ /sire Tattoo: Tag/Band: 00038 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00039 ______ WILD Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: Tattoo: Tag/Band: 00039 _____ Studbook Number: 00040 Taxon Name: EOUUS HEMIONUS KHUR ______ WILD WILD Sex: Male Birth Date: ???? Last Location: JUNAGADH (dead) /sire House Name: dam\ Tattoo: Tag/Band: 00040

```
______
Taxon Name: EQUUS HEMIONUS KHUR
                             Studbook Number: 00041
______
         WILD
                               WTT.D
                         Birth Date: ????
                         Last Location: MADRAS
                      /sire
                          House Name:
                            Tattoo:
                            Tag/Band:
                   00041
______
Taxon Name: EQUUS HEMIONUS KHUR
                          Studbook Number: 00042
______
        WILD
                              Sex: Female
                         Birth Date: ????
                      / Last Location: JUNAGADH (dead)
                      /sire House Name:
                             Tattoo:
                            Tag/Band:
                   00042
______
Taxon Name: EQUUS HEMIONUS KHUR
                             Studbook Number: 00043
______
         WILD
                              WILD
                              Sex: Female
                          Birth Date: ????
                         Last Location: NANDANKAN
                         House Name:
                      /sire
                            Tattoo:
                            Tag/Band:
                   00043
______
Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00044
______
        WILD
                              Sex: Female
                          Birth Date: ????
                        Last Location: JUNAGADH (dead)
e House Name: jethi
                      /sire
                            Tattoo:
                            Tag/Band: 13 (unk)
                   00044
_____
Taxon Name: EQUUS HEMIONUS KHUR
                           Studbook Number: 00045
______
             WILD
       dam\    /sire
         \/
        00032 +
                              UNK
         TEPUDI
                              Sex: Male
                         Birth Date: 4 Oct 1985
Last Location: AHMEDABAD
                         House Name: AMAR
                      /sire
                  dam\
                           Tattoo:
                            Tag/Band: 14 (unk)
                   00045
+ Wild-caught...
```


```
______
Taxon Name: EQUUS HEMIONUS KHUR
                                  Studbook Number: 00046
______
           WILD
                                    WILD
                                    Sex: Female
                               Birth Date: ????
                             Last Location: JUNAGADH (dead)
                          /sire
                               House Name: gajara
                                 Tattoo:
                                 Tag/Band: 15 (unk)
                       00046
______
Taxon Name: EQUUS HEMIONUS KHUR
______
                 WILD
                                 /sire
                                    \/
          00032 +
                                   00033 +
           TEPUDI
                                   HALAMAN
                                   Sex: Female
                               Birth Date: 27 Sep 1987
                             Last Location: JUNAGADH (dead)
                              House Name: soniya
                          /sire
                                 Tattoo:
                                 Tag/Band: 16 (unk)
+ Wild-caught...
                       00047
______
Taxon Name: EQUUS HEMIONUS KHUR
                                  Studbook Number: 00048
______
           WILD
                                   WILD
                                   Sex: Male
                              Birth Date: ????
                             Last Location: JUNAGADH (dead)
                              House Name:
                          /sire
                                 Tattoo:
                                 Tag/Band:
                       00048
Taxon Name: EQUUS HEMIONUS KHUR
                                Studbook Number: 00049
______
                       WILD
           /sire
        dam\
                                 dam\
                                      /sire
                                    \/
           \/
                                   00033 +
          00044 +
           JETHI
                                   HALAMAN
                                   Sex: Male
                             Birth Date: 13 Nov 1988
Last Location: AHMEDABAD
                              House Name:
                     dam\
                          /sire
                                 Tattoo:
                                 Tag/Band:
+ Wild-caught...
                       00049
______
Taxon Name: EQUUS HEMIONUS KHUR
                               Studbook Number: 00050
           WILD
                                    WILD
                                    Sex: Female
                              Birth Date: ????
                             Last Location: JUNAGADH (dead)
                     dam\
                          /sire
                              House Name:
                                 Tattoo:
                                 Tag/Band:
                       00050
```



```
______
Taxon Name: EQUUS HEMIONUS KHUR
                                 Studbook Number: 00055
______
    WILD
                WILD
          /sire
        dam\
           \/
          00032 +
                                  UNK
          TEPUDI
                                  Sex: Male
                              Birth Date: 9 Jul 1992
                            Last Location: DELHI
                            House Name: moti
                    dam\
                         /sire
                                Tattoo:
                               Tag/Band:
+ Wild-caught...
                      00055
______
                            Studbook Number: 00056
Taxon Name: EQUUS HEMIONUS KHUR
______
    WILD WILD
        dam\ /sire
           \/
          00044 +
                                  UNK
          JETHI
                                  Sex: Female
                            Birth Date: 19 Jul 1993
                            Last Location: JUNAGADH (dead)
                            House Name: radha
                               Tattoo:
                               Tag/Band: 19 (unk)
+ Wild-caught...
                      00056
______
Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00057
______
    WILD
               WILD
        dam\    /sire
          00046 +
                                  UNK
          GAJARA
                                  Sex: Male
                             Birth Date: 11 Jun 1994
                            Last Location: JUNAGADH (dead)
                            House Name:
                    dam\
                         /sire
                                Tattoo:
                               Tag/Band:
+ Wild-caught...
                      00057
______
Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00058
______
    WILD
               WILD
        dam\ /sire
          00032 +
                                  UNK
          TEPUDI
                                  Sex: Male
                             Birth Date: 23 Jun 1995
                            Last Location: JUNAGADH (dead)
                            House Name:
                    dam\
                         /sire
                               Tattoo:
                               Tag/Band: 20 (unk)
                       \/
+ Wild-caught...
                      00058
```

```
______
Taxon Name: EQUUS HEMIONUS KHUR
                                 Studbook Number: 00059
______
    WILD
                 WILD
           /sire
        dam\
           \/
          00046 +
                                   UNK
           GAJARA
                                   Sex: Male
                               Birth Date: 23 Jul 1995
                             Last Location: JUNAGADH (dead)
                             House Name: akbar
                     dam\
                          /sire
                                 Tattoo:
                                Tag/Band: 21 (unk)
+ Wild-caught...
                       00059
______
                             Studbook Number: 00060
Taxon Name: EQUUS HEMIONUS KHUR
_____
 WILD WILD
  dam\
      /sire
   \ /
     \/
    00044 +
                UNK
    JETHI
        dam\
            /sire
          00053
                                   UNK
          REVATI
                                   Sex: Female
                               Birth Date: 17 Aug 1996
                             Last Location: JUNAGADH (dead)
                             House Name:
                                 Tattoo:
                                Tag/Band:
+ Wild-caught...
                       00060
______
Taxon Name: EQUUS HEMIONUS KHUR
                            Studbook Number: 00061
______
         WILD
        dam\ /sire
          00032 +
                                   UNK
          TEPUDI
                                   Sex: Male
                              Birth Date: 5 Jan 1997
                             Last Location: JUNAGADH
                             House Name: RAUDRA
                                Tattoo:
                                Tag/Band: 24 (YELLOW)
+ Wild-caught...
                       00061
_____
Taxon Name: EQUUS HEMIONUS KHUR
                               Studbook Number: 00062
           WILD
                                   WILD
                                   Sex: Female
                             Birth Date: ~ 1994
                         / Last Location: JUNAGADH (dead)
                          /sire
                             House Name: Begam
                                Tattoo:
                        \/
                                Tag/Band:
                      00062
```

```
______
Taxon Name: EQUUS HEMIONUS KHUR
                                Studbook Number: 00063
______
          WILD
                                 WILD
                                 Sex: Female
                           Birth Date: ~ 1994
                        / Last Location: JUNAGADH (dead)
                        /sire House Name: AISHA
                               Tattoo:
                              Tag/Band:
                     00063
______
Taxon Name: EQUUS HEMIONUS KHUR
                   Studbook Number: 00064
______
         WILD
                                 WITID
                                 Sex: Female
                       / Birth Date: ~ 1999
/ Last Location: JUNAGADH
                        /sire House Name: SITA
                               Tattoo:
                              Tag/Band:
                     00064
______
Taxon Name: EQUUS HEMIONUS KHUR
                             Studbook Number: 00065
______
    WILD
              WILD
        dam\    /sire
          \/
         00062 +
                                 WILD
          BEGAM
                                 Sex: Male
                            Birth Date: 31 Jan 2002
                           Last Location: JUNAGADH
                            House Name: Rustam
                        /sire
                   dam\
                              Tattoo:
                              Tag/Band:
+ Wild-caught...
                      00065
______
Taxon Name: EQUUS HEMIONUS KHUR
                          Studbook Number: 00066
______
                             WILD
                         WILD
                             /sire
                            \/
    WILD
                           00062 +
                                    WILD
               WILD
                           BEGAM
        dam\ /sire
                               dam\
                                   /sire
         00063 +
                                 00065
          AISHA
                                 RUSTAM
                                 Sex: Male
                            Birth Date: 12 Nov 2005
                           Last Location: JUNAGADH
                            House Name: ABHEE
                   dam\
                        /sire
                              Tattoo:
                              Tag/Band:
+ Wild-caught...
                      00066
```



______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00070 ______ WILD WILD dam\ /sire dam\ \/ 00062 + WILD WILD WILD BEGAM dam\ /sire dam\ /sire \/ \/ 00064 + 00065 SITA RUSTAM Sex: Female
Birth Date: 27 Oct 2007 Last Location: JUNAGADH House Name: RUSHIKA dam\ /sire Tattoo: Tag/Band: + Wild-caught... 00070 ______ Taxon Name: EQUUS HEMIONUS KHUR ______ WILD dam\ /sire \/ 00064 + UNK SITA Sex: Female Birth Date: 29 Dec 2009 Last Location: MADRAS House Name: ANGEL Tattoo: Tag/Band: + Wild-caught... 00071 ______ Taxon Name: EQUUS HEMIONUS KHUR Studbook Number: 00072 ______ WILD WILD dam\ /sire \ / \/ WILD 00062 + WILD WILD BEGAM dam\ /sire dam\ /sire 00063 + 00065 AISHA RUSTAM Sex: Male Birth Date: 26 Sep 2010 Last Location: MADRAS House Name: LUKKHO Tattoo: Tag/Band: 00072 + Wild-caught...

